

# Estimating Production Functions with Partially Latent Inputs\*

Minji Bang, Wayne Gao, Andrew Postlewaite, and Holger Sieg  
University of Pennsylvania

April 2, 2021

## Abstract

This paper develops a new method for identifying and estimating production functions with partially latent inputs. Such data structures arise naturally when data are collected using an “input-based sampling” strategy, e.g., if the sampling unit is one of multiple labor input factors. We show that the latent inputs can be nonparametrically identified, if they are strictly monotone functions of a scalar shock a la [Olley and Pakes \(1996\)](#). With the latent inputs identified, semiparametric estimation of the production function proceeds within an IV framework that accounts for the imputation of inputs. We illustrate the usefulness of our method using two applications. The first focuses on pharmacies: we find that production function differences between chains and independent pharmacies may partially explain the observed transformation of the industry structure. Our second application investigates skill production functions and illustrates important differences in child investments between married and divorced couples.

Keywords: production functions, latent variables, endogeneity, semiparametric estimation, instrumental variables, matching.

---

\*We would like to thank Xu Cheng, Aureo de Paula, Ulrich Doraszelski, Amit Gandhi, Claudia Goldin, Aviv Nevo, Dan Silverman, Petra Todd, and seminar participants at numerous universities for comments and suggestions. Postlewaite and Sieg acknowledge support from the National Science Foundation.

# 1 Introduction

This paper develops a new method for identifying and estimating production functions with partially latent inputs. In the canonical framework used to estimate production functions, [Olley and Pakes \(1996\)](#) assume that the different inputs are functions of a common unobserved random shock. Moreover, they impose strict monotonicity in this common shock. Note that this assumption does not require that inputs are “optimally” chosen by competitive firms and is consistent with a broad class of strategic and non-strategic models that may describe the agents’ behavior. The monotonicity assumption imposes some strong functional dependencies on the explanatory variables as pointed out in the context of production function estimation by [Akerberg, Caves, and Frazer \(2015\)](#). The key insight of this paper is that we can leverage the functional dependence between inputs to achieve identification within a partially latent covariate framework. In that sense, we turn the functional dependence problem on its head to impute the partially latent inputs.

The partially latent data structure, that we study in this paper, arises quite naturally in many potential applications of our technique if one employs an “input-based sampling” strategy, i.e. if the sampling unit is one of the multiple labor input factors. These types of data sets are becoming more prevalent in modern econometrics since researchers have come to rely on unstructured or semi-structured data sets. Consider, for example, a production team in which team members perform different tasks. Let us assume that the researcher interviews one member from each team to provide the data. It is plausible that this person knows the team’s output, but does not have complete information about the other team members’ input choices. By randomly sampling the teams we elicit information from all different types of team members and hence input factors. We call this type of sampling an “input-based sampling” approach and provide a formal definition of this data structure.

Once we have identified the latent inputs, the estimation of the production function can proceed using standard semiparametric methods developed in the econometric literature. One key issue here is that the common shock creates an endogeneity problem.<sup>1</sup> We show that we can combine our identification results with a variety of linear, nonlinear, and semiparametric estimation strategies. In that sense our approach

---

<sup>1</sup>In the context of production function estimation this endogeneity problem is referred to as the transmission bias problem since inputs are correlated with unobserved productivity shocks ([Marschak and Andrews, 1944](#)).

is flexible and allows researchers to make appropriate functional form assumptions if necessary. To illustrate the key issues that are encountered in estimation we consider the scenario in which researchers only have access to a single cross-section of data and rely on instrumental variables for estimation.<sup>2</sup> Production function estimation relies on the assumption that differences in local input prices give rise to differences in input choices that are uncorrelated with productivity shocks at the local level.<sup>3</sup>

Estimation proceeds in two steps. In finite samples, we first nonparametrically estimate the latent input functions. Plugging the estimators into our production function, we can estimate the parameters of this function using a standard IV estimator based on the observed and imputed inputs. The second econometric challenge then arises for the need to account for the sequential nature of the estimator when deriving the correct rate of convergence and computing asymptotic standard errors. To illustrate this we consider the standard log-linear, Cobb-Douglas model. We propose two different estimators and provide both high-level and lower-level conditions under which these semiparametric two-step estimators are consistent and asymptotically normal at the usual parametric rate of convergence. The technical proofs are based on the general econometric theory on semiparametric two-step estimation as in Newey (1994), Newey and McFadden (1994) and Chen, Linton, and Van Keilegom (2003). Finally, we show that using the conditional expectation of outcomes as the dependent variable produces efficiency gains relative to the more traditional estimator that uses the observed output instead.

To evaluate the performance of our estimator we conduct a variety of Monte Carlo experiments. Our findings suggest that our estimators are well-behaved in samples that are similar in size to those observed in our applications discussed below. We also study the behavior of our estimator when we pool observations across markets as is often necessary for many practical applications.

We then illustrate the usefulness of the new techniques developed in this paper

---

<sup>2</sup>Hence we cannot address this endogeneity problem using panel data with fixed effects, first advocated by Hoch (1955, 1962) and Mundlak (1961, 1963). We can also not use more sophisticated timing assumptions within a control function or IV frameworks as discussed, for example, in Olley and Pakes (1996) and Blundell and Bond (1998, 2000), Levinsohn and Petrin (2003), and Ackerberg, Caves, and Frazer (2015). We discuss the extension of our methods to this scenario in the conclusions.

<sup>3</sup>Hence, local input prices can serve as valid instruments for endogenous input choices. See Griliches and Mairesse (1998) for a critical discussion of the assumption that these input prices are exogenous.

and consider two applications. First, we apply our new estimator to study differences in productivity in an important industry: pharmacies. [Goldin and Katz \(2016\)](#) have forcefully argued that this is one of the most egalitarian and family-friendly professions in which females face little discrimination in the workforce. One potential explanation of this fact has been related to the rise of chains that have replaced independent pharmacies in many local markets. Here we estimate a team production function that distinguishes between managerial and non-managerial certified pharmacists. We can, therefore, test the hypothesis whether managers have become more productive in chains than in independent pharmacies.

We use data from the National Pharmacist Workforce Survey in 2000 which uses an “input-based sampling” procedure. It not only collects data for each pharmacist that is surveyed but also a limited amount of information at the store level including output. We find that we can reject the null hypothesis that independent pharmacies and chains have the same technology. Estimates for independent pharmacies are somewhat noisy but do not suggest that there is a large difference between managers and regular employees. Estimates for chains suggest that managers are more productive than regular employees. We thus conclude that chains seem to improve the effectiveness of managers which may partially explain why they have become the dominant firm type in this industry.

Our second application focuses on skill production functions which play a large role in labor and family economics.<sup>4</sup> Here we rely on data from the Child Development Supplement of the PSID. We consider two different samples to illustrate the usefulness of our new methods. First, we consider a sample of children who live in married households. Hence, both parental inputs are observed for these children. We find that our latent variable IV estimator produces similar results to the feasible IV estimator. We also consider a sample of children from divorced households where the father’s inputs have to be imputed. Hence, the standard IV estimator is no longer feasible, but our latent variable IV estimator can still be applied. We find that there are some significant differences between married and divorced parents. In particular, divorced fathers have no significant impact on child quality.

This paper relates to the line of literature on production function estimation by proposing a method to handle the problem of partially latent inputs. Our iden-

---

<sup>4</sup>For a general discussion of estimating skill production functions see, among others, [Todd and Wolpin \(2003\)](#) and [Cunha, Heckman, and Schennach \(2010\)](#).

tification strategy is based on strict monotonicity and the consequent invertibility in a scalar unobservable, a feature also leveraged by [Olley and Pakes \(1996\)](#) and [Levinsohn and Petrin \(2003\)](#). They essentially use an auxiliary variable together with an input to control for the unobserved productivity shock: investment with capital in [Olley and Pakes \(1996\)](#) and intermediate inputs with capital in [Levinsohn and Petrin \(2003\)](#). In comparison, we use the output with the observed input to pin down the productivity shock. We emphasize that the feature of functional dependence between input variables, which was pointed out by [Akerberg, Caves, and Frazer \(2015\)](#) as an underlying problem in [Olley and Pakes \(1996\)](#) and [Levinsohn and Petrin \(2003\)](#), in fact, forms the basis of our imputation strategy. While most of these papers focus on value-added production functions, there is also much interest in estimating gross output production functions. [Doraszelski and Jaumandreu \(2013\)](#) propose a solution to the transmission bias problem that also relies on observed firm-level variation in prices. In particular, they show that by explicitly imposing the parameter restrictions between the production function and the demand for a flexible input and by using this price variation, they can recover the gross output production function. [Gandhi, Navarro, and Rivers \(2020\)](#) provide an alternative identification strategy to estimate gross output production functions that works well in short panels. Beyond these conceptual linkages, our paper has a different focus from these papers cited above: they focus more on the dynamic nature of capital inputs, while we focus on the problem of partially latent inputs. Moreover, the estimation of production functions is just one of many applications of our general identification result. This paper shows that our methods may be even more useful for applications outside of IO where these data structures are more prevalent as we discuss below.

Also, we should point out that this paper is both conceptually and technically different from previous work on missing data in linear regression and, more generally, GMM estimation settings, such as [Rubin \(1976\)](#), [Little \(1992\)](#), [Robins, Rotnitzky, and Zhao \(1994\)](#), [Wooldridge \(2007\)](#), [Graham \(2011\)](#), [Chaudhuri and Guilkey \(2016\)](#), [Abrevaya and Donald \(2017\)](#) and [McDonough and Millimet \(2017\)](#). This line of literature usually exploits two types of conditions: first, observations with no missing data occur with positive probability, and second, data are “missing at random” (potentially with conditioning). Neither condition is satisfied in our setting: every observation contains missing data, and missing can be correlated with other observables as well as the unobserved productivity shock. Instead, we rely on monotonicity in a scalar unobservable shock

to identify and impute the latent input.

Similarly, our monotonicity conditions also differentiate our paper from the econometric literature on data combination as surveyed by [Ridder and Moffitt \(2007\)](#), which mostly involves conditional independence assumptions. That said, in a way our proposed method can be regarded as a strategy to combine two samples, each of which contains a common outcome variable and a different covariate variable. Hence, our proposed method may also be useful as a data combination method for scenarios where our monotonicity conditions are interpretable and justifiable.

Broadly speaking, our imputation is in the spirit of matching algorithms ([Rubin, 1973](#)). In contrast to traditional matching algorithms, we propose to match on the expected dependent variable to impute missing covariates. Hence, we do not apply the matching approach within the standard potential outcome framework of program evaluation which is based on the potential outcome model developed by [Fisher \(1935\)](#).<sup>5</sup>

The rest of the paper is organized as follows. Section 2 presents our main identification result. Section 3 discusses the problems associated with estimation. Section 4 introduces our first application focusing on the production functions of pharmacies. It discusses our data sources and presents our main empirical findings. Section 5 discusses our second application which deals with education production functions. Section 6 provides a discussion of other applications and presents our conclusions.

## 2 Identification of Partially Latent Inputs

### 2.1 Model and Main Result

Consider the following production function

$$y_i = F(x_{i1}, x_{i2}, u_i) + \epsilon_i \tag{1}$$

where  $i = 1, \dots, N$  indexes a generic observation from a *random sample*,  $y_i$  denotes an observable scalar-valued output variable, and  $x_i := (x_{i1}, x_{i2})$  denotes a two-

---

<sup>5</sup>For a discussion of the properties of matching estimators in that context see, among others, [Rosenbaum and Rubin \(1983\)](#), [Heckman, Ichimura, Smith, and Todd \(1998\)](#), and [Abadie and Imbens \(2006\)](#).

dimensional vector of inputs.<sup>6</sup> Both  $u_i$  and  $\epsilon_i$  are scalar-valued unobserved errors, with  $u_i$  taken to be a “productivity shock” that is endogenous with respect to  $x_i$ , while  $\epsilon_i$  is a “measurement error” that is assumed to be exogenous. The unknown production function  $F$  may be either parametric or nonparametric.

First, we need to define what we mean by *partially latent inputs*, a key data structure that we seek to handle in this paper.

**Assumption 1** (Partially Latent Inputs). *For each observation  $i$ , the econometrician either observes  $x_{i1}$  or  $x_{i2}$ , but never both.*

Essentially, one of the two inputs  $(x_{i1}, x_{i2})$  is latent in each observation in the data. In the following, it will be convenient to write

$$d_i := \begin{cases} 1, & \text{if } x_{i1} \text{ is observed and } x_{i2} \text{ is latent,} \\ 2, & \text{if } x_{i2} \text{ is observed and } x_{i1} \text{ is latent,} \end{cases}$$

so that effectively  $(d_i, (2 - d_i)x_{i1}, (d_i - 1)x_{i2})$  is observed for  $i$ . Such data structures often arise when the data is collected at the individual input level while we are interested in some firm or team level output variable that also depends on other individual inputs who are not surveyed in the data. These types of unstructured data sets are becoming increasingly more prevalent in empirical work, as we discuss in detail below.

Our first application focuses on identifying and estimating team production functions.<sup>7</sup> For simplicity, let us assume a log-linear Cobb-Douglas specification:

$$y_i = \alpha_0 + \alpha_1 x_{i1} + \alpha_2 x_{i2} + u_i + \epsilon_i, \tag{2}$$

where  $y_i$  is the logarithm of the team’s output,  $x_{i1}$  is the logarithm of hours worked by the first team member (a manager), and  $x_{i2}$  is the logarithm of hours worked by the second team member (an employee).<sup>8</sup> The data structure described in Assumption

---

<sup>6</sup>See Corollary 1 for the extension of our identification method to settings with covariates of higher dimensions.

<sup>7</sup>We use the term “team production function” since we largely focus on different types of labor inputs and abstract from capital or other inputs that may be subject to dynamics and adjustment costs.

<sup>8</sup>The team production concept is also related to the concept of task production functions, which are surveyed by Acemoglu and Autor (2011). Haanwinckel (2018) estimates a task production function in which each team member specializes in a single task.

1 arises if the researcher interviews only one member, and not both members of the team. We also refer to this technique as an “*input-based sampling*” approach. It is plausible that the interviewed team member knows the team’s output, but does not have complete information about the other team member’s input choices. Hence, the surveyed person provides the output level,  $y_i$ , and her own hours worked,  $x_{i1}$  or  $x_{i2}$ , leading to the problem of partially latent inputs as defined in Assumption 1.

The next assumption imposes a monotonicity condition on the outcome function.

**Assumption 2** (Monotonicity of the Production Function). *F is nondecreasing in all its arguments and is strictly increasing in at least one of its arguments.*

This assumption essentially states that the inputs  $(x_{i1}, x_{i2})$  and the productivity shock  $u_i$  have nonnegative effects on the output variable  $y_i$ . Moreover, the monotonicity is strict in, at least, one of the three arguments  $x_{i1}, x_{i2}$ , and  $u_i$ . The restriction of monotonicity with respect to  $(x_{i1}, x_{i2})$  is substantive: it requires that the inputs cannot negatively affect the output variable holding everything else fixed. In contrast, the restriction of monotonicity with respect to  $u_i$  is largely innocuous given the interpretation of  $u_i$  as a (weakly) “positive shock”. Note that assumption 2 is satisfied in the linear additive model in equation (2) provided that the model satisfies the additional parameter restriction that  $\alpha_1, \alpha_2 \geq 0$ .

Next, we turn to the assumptions on the unobserved errors  $u_i$  and  $\epsilon_i$  in equation (1). First, we assume that the endogenous inputs  $x_i$  are strictly monotone functions of the scalar productivity shock  $u_i$ , potentially after conditioning on a set of observed covariates  $z_i$ , that may affect the inputs  $x_i$ .

**Assumption 3** (Strict Monotonicity of the Inputs in the Productivity Shock). *There exists a vector of additional observed covariates  $z_i$  and two deterministic, real-valued functions  $h_1, h_2$ , such that*

$$x_{i1} = h_1(u_i, z_i), \quad x_{i2} = h_2(u_i, z_i),$$

*with both  $h_1(u_i, z_i)$  and  $h_2(u_i, z_i)$  strictly increasing in their first argument  $u_i$  for every realization of  $z_i$ .*

We note that the functions  $h_1$  and  $h_2$  can be unknown and nonparametric. Moreover, Assumption 3 does not require  $z_i$  to be exogenous; in other words,  $z_i$  and  $u_i$  are allowed to be statistically dependent. The only requirement here is that, after



conditioning on  $z_i$ , the covariates  $x_{i1}$  and  $x_{i2}$  can be written as deterministic monotone functions of the error  $u_i$ . Such a “monotonicity-in-a-scalar-error” assumption has been widely used in the econometric literature on identification analysis.<sup>9</sup>

Note that the  $u_i$  is typically interpreted as a “productivity shock” that enters into the choices of inputs  $x_i$ . In contrast,  $\epsilon_i$  captures either a measurement error or a productivity shock that does not affect inputs, since it is not observed to the firms when input choices are made. Assumption 3 requires that the input choice functions are strictly increasing in the “productivity shock”  $u_i$ , conditional on any additional observed covariates  $z_i$  that may influence input choices, as suggested, for example, by [Olley and Pakes \(1996\)](#) and others.<sup>10</sup> For concreteness, we take  $z_i$  to be local wages for managers and employees.

The monotonicity of input choices in the unobserved productivity shock can be further micro-founded in a variety of settings based on efficiency or equilibrium criteria. For example, Assumption 3 is automatically satisfied if competitive firms optimally choose inputs to maximize profits. The input choice functions  $h_1$  and  $h_2$  are characterized by the relevant first-order conditions and have simple closed-form formulas that are linear and increasing in  $u_i$  and decreasing in  $z_i$ .<sup>11</sup> More generally, one may use the theory of monotone comparative statics to obtain more primitive conditions for input monotonicity, which typically involve various forms of increasing-difference or single-crossing conditions: see, for example, [Milgrom and Shannon \(1994\)](#) and [Vives \(2000\)](#) for formal statements. Essentially, in settings where input choices are made by a single decision maker, such as under perfect competition and monopsony, we would need the marginal values of inputs to be increasing in the productivity shock  $u_i$ , which is a mild condition to impose given our interpretation of  $u_i$  as a productivity shock. In settings where the input choices are generated as equilibria of a strategic game

---

<sup>9</sup>See [Matzkin \(2007\)](#) for a general survey, and see [Akerberg, Caves, and Frazer \(2015\)](#) in the specific context of production function identification, which fits into our working example (2).

<sup>10</sup>This is a standard assumption that underlies most, if not all, existing approaches of production function estimation in one way or another: see, for example, [Griliches and Mairesse \(1998\)](#) and [Akerberg, Caves, and Frazer \(2015\)](#) for reviews of the relevant literature.

<sup>11</sup>See Appendix A for details. We note that the problem of partially latent inputs is less relevant in that case since the “reduced-form” regression of the observed inputs on the exogenous wages  $w_i$  will indirectly recover the production function parameters  $\alpha$ . This corresponds to the “duality approach” to production function estimation as discussed in detail in [Griliches and Mairesse \(1998\)](#). However, an attractive feature of our approach is also that we can test whether inputs are optimally chosen. If we reject the null hypothesis that inputs are optimal, our estimator is still feasible while duality estimators are not.

between two decision makers, an additional assumption of strategic complementarity is typically sufficient for monotonicity. For games with strategic substitutability, we would further need a condition to ensure that the extent of strategic substitutability is not overwhelming: see, for example, Roy and Sabarwal (2010).

Next we formalize the required exogeneity condition on the measurement error  $\epsilon_i$ .

**Assumption 4** (Exogeneity of the Measurement Error).  $\mathbb{E}[\epsilon_i | x_i, z_i, d_i] = 0$ .

Note that, under Assumption 3, conditioning on  $(x_i, z_i, d_i)$  is equivalent to conditioning on  $(u_i, z_i, d_i)$ . In the production function estimation literature without the partial latency problem,  $\mathbb{E}[\epsilon_i | u_i, z_i] = 0$  is a standard assumption imposed on  $\epsilon_i$ . In our current setting, we are requiring that  $\epsilon_i$  is furthermore exogenous with respect to the partial latency indicator variable  $d_i$ .

It is worth noting that this paper is both conceptually and technically different from previous work on missing data in linear regression and, more generally, GMM estimation settings, such as Rubin (1976), Little (1992), Robins, Rotnitzky, and Zhao (1994), Wooldridge (2007), Graham (2011), Chaudhuri and Guilkey (2016), Abrevaya and Donald (2017) and McDonough and Millimet (2017). This line of literature usually exploits two types of assumptions to handle missing values: first, observations with no missing data occur with positive probability, and second, data are “missing at random (MAR)”: the indicator for missingness is exogenous to or independent of certain observable covariates or constructed conditioning variables. Neither condition is satisfied in our setting: here every observation contains “missing values”, and the partial latency indicator  $d_i$  is allowed to be correlated with other observables as well as the unobserved productivity shock. Instead, we will be relying on monotonicity conditions to identify and impute the latent input.

Specifically, Assumption 4 here is simply requiring that  $\epsilon_i$  is a “measurement error” term that is exogenous with respect to the observables and consequently the productivity shock  $u_i$ , but does not impose any restriction on the dependence structure between the partial latency indicator  $d_i$  and other structural components of the model  $(u_i, x_i, z_i)$ .

However, we do require the following very mild condition on the variable  $d_i$ .

**Assumption 5** (Nondegenerate Latency Probabilities).  $0 < \mathbb{P}\{d_i = 1 | u_i, z_i\} < 1$ .

Assumption 5 guarantees that conditioning on realizations of  $(u_i, z_i)$  we will observe  $x_{i1}$ , and  $x_{i2}$ , with strict positive probabilities. Again, this assumption is much

weaker than “missing-at-random” assumptions, which would usually require that  $\mathbb{P}\{d_i = 1|u_i, z_i\}$  is constant in  $u_i, z_i$ , or some other variables. In contrast, here we do not impose any restrictions on the dependence of  $\mathbb{P}\{d_i = 1|u_i, z_i\}$  on  $(u_i, z_i)$  beyond non-degeneracy.

We are now ready to present our main identification result.

**Theorem 1.** *Under Assumptions 1-5, for each observation  $i$ , the latent input,  $x_{i2}$  if  $d_i = 1$  or  $x_{i1}$  if  $d_i = 2$ , is point identified.*

Next, we provide a detailed explanation of our identification strategy. The starting point of our identification strategy is the reduced form of our model with the measurement error term:

$$y_i = \bar{F}(u_i, z_i) + \epsilon_i \quad (3)$$

where

$$\bar{F}(u_i, z_i) := F(h_1(u_i, z_i), h_2(u_i, z_i), u_i). \quad (4)$$

Clearly,  $\bar{F}(u_i, z_i)$  is strictly increasing in  $u_i$  given Assumptions 2 and 3.

Consider two firms  $i$  and  $j$  with  $z_i = z_j$ , i.e. two firms  $i$  and  $j$  operating in the same local labor market with the same local wages. For concreteness, suppose that  $(x_{i1}, x_{j1})$  are observed, while  $(x_{i2}, x_{j2})$  are unobserved. Since these firms have the same value of managerial inputs  $x_{i1} = x_{j1}$ , then by Assumption 3 it must also be true that they have the same value of the productivity shock:

$$u_i = h_1^{-1}(x_{i1}; z_i) = h_1^{-1}(x_{j1}; z_j) = u_j,$$

where  $h_1^{-1}(\cdot; z_i)$  is the inverse of  $h_1(\cdot, z_i)$ , which is well-defined by Assumption 3. This further implies that

$$\bar{F}(u_i, z_i) = \bar{F}(u_j, z_j).$$

Taking an average of  $y_i$  and  $y_j$ ,

$$\frac{1}{2}(y_i + y_j) = \bar{F}(u_i, z_i) + \frac{1}{2}(\epsilon_i + \epsilon_j), \quad (5)$$

we are essentially averaging out the variations in  $\epsilon$ .<sup>12</sup> Intuitively, if we average over

---

<sup>12</sup>In fact, we can directly “match” on output  $y_i$  if there is no measurement error,  $\epsilon_i$ , in output.

outcomes of all observations that share the same  $x_{i1}$  and the same  $z_i$  and thus the same value of  $u_i$ , then we can identify  $\overline{F}(u_i, z_i)$ .

Formally, define  $\gamma_1(c)$  as the expected output of firm  $i$  conditional on the event that  $x_{i1}$  is observed ( $d_i = 1$ ) to have a given value of  $c_1$ , i.e.,

$$\gamma_1(c_1; z) := \mathbb{E}[y_i | z_i = z, d_i = 1, x_{i1} = c_1]. \quad (6)$$

Clearly,  $\gamma_1$  is directly identified from data given Assumptions 1 and 5,<sup>13</sup> and can be nonparametrically estimated later on. Taking a closer look at  $\gamma_1$ , we have, by equation (3), Assumption 3, and Assumption 4,

$$\begin{aligned} \gamma_1(c_1; z) &= \mathbb{E}[\overline{F}(u_i, z_i) + \epsilon_i | z_i = z, d_i = 1, h_1(u_i, z_i) = c_1] \\ &= \overline{F}(h_1^{-1}(c_1; z), z) + \mathbb{E}[\epsilon_i | z_i = z, d_i = 1, u_i = h_1^{-1}(c_1; z)] \\ &= F(c_1, h_2(h_1^{-1}(c_1; z), z), h_1^{-1}(c_1; z)), \end{aligned} \quad (7)$$

which is a direct formalization of the intuition in equation (5). By conditioning on  $z_i$  and a particular *observed value* of  $x_{i1} = c_1$ , we are effectively conditioning on the *unobserved* productivity shock  $u_i$ . Aggregating across observations allows us to average out the measurement errors and obtain a quantity that is implicitly a function of the productivity shock  $u_i = h_1^{-1}(c_1; z_i)$ .

Next, we observe that  $\gamma_1(c_1; z)$  is strictly increasing in  $c_1$ , since

$$\begin{aligned} \frac{\partial}{\partial c_1} \gamma_1(c_1; z) &= F_1 + F_2 \cdot \frac{\partial}{\partial u} h_2(h_1^{-1}(c_1), z) \frac{1}{\frac{\partial}{\partial u} h_1(h_1^{-1}(c_1), z)} + F_3 \cdot \frac{1}{\frac{\partial}{\partial u} h_1(h_1^{-1}(c_1), z)} \\ &> 0 \end{aligned} \quad (8)$$

since  $\frac{\partial}{\partial u} h_1, \frac{\partial}{\partial u} h_2 > 0$  by Assumption 3, and the partial derivatives  $F_1, F_2, F_3$  of  $F$  are all nonnegative with, at least, one being strictly positive by Assumption 2.<sup>14</sup> Similarly, we can define

$$\gamma_2(c_2; z) := \mathbb{E}[y_i | z_i = z, d_i = 2, x_{i2} = c_2]$$

which is strictly increasing in  $c_2$ .

<sup>13</sup>Assumption 5 ensures that the conditioning event occurs with strictly positive probability.

<sup>14</sup>The partial derivatives  $F_1, F_2, F_3$  of  $F$  are evaluated at  $(c_1, h_2(h_1^{-1}(c_1; z), z), h_1^{-1}(c_1; z))$ .

Now, the basic idea behind our identification strategy is then to conditionally “match” observations on the event that

$$\gamma_1(c_1; z) = \gamma_2(c_2; z) \tag{9}$$

for some  $c_1, c_2$ , and  $z$ .

For concreteness, let us consider production teams within the same local market so that wages ( $z_i$ ) are constant. Equation (9) then involves two separate conditional expected output levels, one ( $\gamma_1$ ) for teams whose manager input ( $x_{i1}$ ) is observed, and the other ( $\gamma_2$ ) for teams whose employee input ( $x_{i2}$ ) is observed. When these two expected output levels are equalized as in equation (9), we can infer that the underlying productivity shock ( $u_i$ ) must be the same across all teams with either  $x_{i1} = c_1$  observed or  $x_{i2} = c_2$  observed. By equations (5) and (7) we know

$$h_1^{-1}(c_1; z_i) = h_2^{-1}(c_2; z_i) =: \bar{u}$$

which also pins down the latent inputs via:

$$\begin{aligned} x_{i2} &= h_2(\bar{u}, z_i), & \text{for } d_i = 1, \\ x_{i1} &= h_1(\bar{u}, z_i), & \text{for } d_i = 2. \end{aligned}$$

Formally, the latent inputs can be identified via a composition of  $\gamma_1, \gamma_2$  and their inverses,

$$\begin{aligned} x_{i2} &= \gamma_2^{-1}(\gamma_1(x_{i1}; z_i); z_i), & \text{for } d_i = 1, \\ x_{i1} &= \gamma_1^{-1}(\gamma_2(x_{i2}; z_i); z_i), & \text{for } d_i = 2, \end{aligned} \tag{10}$$

since on the right-hand side  $x_{i1}, x_{i2}$  are observed for  $d_i = 1, 2$ , respectively, and  $\gamma_1, \gamma_2$  are nonparametrically identified functions. This completes the description of our key identification strategy as well as the proof of Theorem 1.

It should be pointed out that (10) is an explicit representation of the “functional dependence” between the two input variables as in [Akerberg, Caves, and Frazer \(2015\)](#):  $x_{i1}$  is a deterministic function of  $x_{i2}$ , and vice versa, conditional on instruments  $z_i$ . While functional dependence was a concern in the context of [Olley and Pakes \(1996\)](#), [Levinsohn and Petrin \(2003\)](#) and [Akerberg et al. \(2015\)](#), here we are exactly

leveraging the functional dependence between input variables to solve the partially latency problem.

*Remark 1* (More Than Two Inputs). We have thus far focused on the case with two inputs. It is straightforward to see that our model, assumptions, and the main identification result can be easily generalized to the case with inputs of an arbitrary finite dimension  $D$ . This result is summarized by the following Corollary.

**Corollary 1.** *Consider the model  $y_i := F(x_{i1}, \dots, x_{iD}, u_i) + \epsilon_i$  along with Assumptions 2 and 4 unchanged, and the following modifications of other assumptions:*

- (i) *Assumption 1: for each  $i$  at least one out of  $D$  inputs is observed.*
- (ii) *Assumption 3: all  $D$  inputs are strictly increasing in  $u_i$  given  $z_i$ .*
- (iii) *Assumption 5: all  $D$  inputs are observed with strictly positive probabilities.*

*Then the latent inputs are identified.*

*Remark 2.* If Condition (i) in Corollary 1 is strengthened so that *more than one* inputs are simultaneously observed in a given observation (with positive probability), then we would also obtain over-identification, and the input-monotonicity restriction in Assumption 3 becomes empirically refutable. Alternatively, with two or more inputs simultaneously observed, we would be able to accommodate higher dimensions of unobserved shocks, provided that the dimension of the unobserved shock  $u_i$  is strictly smaller than the dimension of the covariates  $D$ . Since such an extension would be more involved and move farther away from the applications we consider in this paper, we leave it as a direction for future research.

### 3 Estimation of the Production Function

With the latent inputs already identified in Theorem 1, we are back to equation (1)

$$y_i = F(x_{i1}, x_{i2}, u_i) + \epsilon_i,$$

but now we can effectively regard both  $x_{i1}$  and  $x_{i2}$  as being known, at least for identification purposes. Researchers may proceed to identify the production function  $F$

under appropriate application-specific assumptions as in a “standard” setting without the partial latency problem.

Hence, the identification of  $F$  or other objects of interest is largely “separable” from the partial latency problem, which is the key problem we are solving in this paper. That said, we note that the *estimation* of the latent inputs will affect the *estimation* of (the parameters of)  $F$  based on “plugged-in” latent input estimates. This section provides a discussion on how to identify and estimate  $F$ , and analyzes the impact of the “first-stage” estimation of latent inputs on the final estimator of  $F$ .

While we cannot cover all relevant specifications of  $F$ , in this section we will provide both identification and estimation results for the linear case, which is arguably the workhorse model, or at least a natural benchmark, in various empirical applications. We also discuss how our method can be applied under more general settings.

### 3.1 The Linear Model

In this subsection we focus on the linear parametric specification of  $F$  as in (2):

$$y_i = \alpha_0 + \alpha_1 x_{i1} + \alpha_2 x_{i2} + u_i + \epsilon_i,$$

where our goal is to identify and estimate the unknown parameters  $\alpha := (\alpha_0, \alpha_1, \alpha_2)$ .

#### 3.1.1 Identification

In the presence of the endogeneity problem between  $x_i := (x_{i1}, x_{i2})$  and  $u_i$ , we will need instrumental variables for the identification of  $\alpha$ . For illustrational simplicity, we impose the following standard IV assumption.

**Assumption 6** (Instrumental Variables). *Write  $z_i := (z_{i1}, z_{i2})$ ,  $\bar{z}_i := (1, z_{i1}, z_{i2})'$  and  $\bar{x}_i = (1, x_{i1}, x_{i2})'$ . Assume*

- (i) *Relevance:*  $\Sigma_{zx} := \mathbb{E}[\bar{z}_i \bar{x}_i']$  has full rank.
- (ii) *Exogeneity:*  $\mathbb{E}[u_i | z_i] = 0$ .

**Corollary 2** (Identification of Linear Parameters). *Under Assumptions (1)-(6),  $\alpha$  is point identified.*

Here we are essentially following a strategy discussed in [Griliches and Mairesse \(1998\)](#) and assume that we have access to some instrumental variables (such as local wages) that affect input choices.

### 3.1.2 Estimation Procedure

We now turn to the more interesting problem of estimation, propose semiparametric estimators for  $\alpha$ , and characterize their asymptotic distributions.

We first describe our proposed estimator. Since the identification of latent inputs via equation (10) is constructive, it suggests a natural estimation procedure:

**Step 1** (Nonparametric Regression): obtain an estimator  $\hat{\gamma}_1$  of  $\gamma_1$  by nonparametrically regressing  $y_i$  on  $x_{i1}$  and  $z_i$ , among firms with  $d_i = 1$ , i.e., those with  $x_{i1}$  observed. Similarly, obtain an estimator  $\hat{\gamma}_2$  of  $\gamma_2$ .

**Step 2** (Imputation): impute latent inputs by plugging the nonparametric estimators  $\hat{\gamma}_1, \hat{\gamma}_2$  into equation (10), i.e.,

$$\begin{aligned}\hat{x}_{i2} &= \hat{\gamma}_2^{-1}(\hat{\gamma}_1(x_{i1}; z_i); z_i), & \text{for } d_i = 1, \\ \hat{x}_{i1} &= \hat{\gamma}_1^{-1}(\hat{\gamma}_2(x_{i2}; z_i); z_i), & \text{for } d_i = 2.\end{aligned}$$

**Step 3** (IV Regression): estimate equation (2) with  $z_i$  as IVs for  $x_i$ , i.e.,

$$\hat{\alpha} := \left( \frac{1}{n} \sum_{i=1}^n \bar{z}_i \tilde{x}_i \right)^{-1} \left( \frac{1}{n} \sum_{i=1}^n \bar{z}_i y_i \right)$$

and

$$\tilde{x}_i := \begin{cases} (1, x_{i1}, \hat{x}_{i2})', & \text{for } d_i = 1, \\ (1, \hat{x}_{i1}, x_{i2})', & \text{for } d_i = 2. \end{cases}$$

In [Appendix B.4](#), we also propose an alternative estimator  $\hat{\alpha}^*$  that features a slightly different Step 3, leading to an efficiency gain over  $\hat{\alpha}$  asymptotically. Since the asymptotic theories for  $\hat{\alpha}$  and  $\hat{\alpha}^*$  are very similar, we defer results on  $\hat{\alpha}^*$  to the appendix.

### 3.1.3 Asymptotic Theory

We now establish the consistency and the asymptotic normality of  $\hat{\alpha}$  under the following regularity assumptions.



**Assumption 7** (Finite Error Variances).  $\mathbb{E}[u_i^2 | z_i] < \infty$  and  $\mathbb{E}[\epsilon_i^2 | x_i, z_i, d_i] < \infty$ .

**Assumption 8** (Strong Monotonicity). *The first derivative of  $\gamma_k(\cdot, z)$  is uniformly bounded away from zero, i.e., for any  $c, z$ ,*

$$\frac{\partial}{\partial c} \gamma_k(c; z) > \underline{c} > 0.$$

In view of equation (8), Assumption 8 is satisfied if either  $\alpha_1, \alpha_2 > 0$  or  $\frac{\partial}{\partial u} h_1, \frac{\partial}{\partial u} h_2$  are uniformly bounded above by a finite constant. Assumption 8 is needed to ensure that  $\hat{\gamma}_k^{-1}(\cdot, z)$  is a good estimator of  $\gamma_k^{-1}(\cdot, z)$  provided that the first-stage nonparametric estimator  $\hat{\gamma}_k$  is consistent for  $\gamma_k$ .

**Assumption 9** (First-Stage Estimation).

(i) *Donsker property:*  $\gamma_1, \gamma_2 \in \Gamma$ , which is a Donsker class of functions with uniformly bounded first and second derivatives, and  $\hat{\gamma}_1, \hat{\gamma}_2 \in \Gamma$  with probability approaching 1.

(ii) *First-stage convergence:*  $\|\hat{\gamma}_k - \gamma_k\| = o_p\left(N^{-\frac{1}{4}}\right)$  for  $k = 1, 2$ .

Assumption 9(i) is guaranteed if  $\gamma_1, \gamma_2$  satisfy certain smoothness condition, e.g.  $\gamma_k$  possesses uniformly bounded derivatives up to a sufficiently high order. Assumption 9(ii) requires that the first-stage estimator converges at a rate faster than  $N^{-1/4}$ , which is satisfied under various types of nonparametric estimators under certain regularity conditions. This is required so that the final estimator of the production function parameters  $\alpha$  can converge at the standard parametric ( $\sqrt{N}$ ) rate despite the slower first-step nonparametric estimation of  $\gamma_1, \gamma_2$ .

Finally, we state another technical assumption that captures how the first-stage nonparametric estimation of  $\gamma_1, \gamma_2$  influences the final semiparametric estimators  $\hat{\alpha}$  through the functional derivatives of the residual function with respect to  $\gamma_1, \gamma_2$ . Assumption 10 below, based on Newey (1994), provides an explicit formula for the asymptotic variance of  $\hat{\alpha}$  that does not depend on the particular forms of first-stage nonparametric estimators.

Formally, write  $w_i := (y_i, x_i, z_i, d_i)$ ,  $\gamma := (\gamma_1, \gamma_2)$ , and suppress the conditioning

variables  $z_i$  in  $\gamma$  for notational simplicity. Define the residual functions

$$g(w_i, \tilde{\alpha}, \tilde{\gamma}) := \begin{cases} \bar{z}_i (y_i - \tilde{\alpha}_0 - \tilde{\alpha}_1 x_{i1} - \tilde{\alpha}_2 \tilde{\gamma}_2^{-1} (\tilde{\gamma}_1(x_{i1}))) & \text{for } d_i = 1, \\ \bar{z}_i (y_i - \tilde{\alpha}_0 - \tilde{\alpha}_2 x_{i2} - \tilde{\alpha}_1 \tilde{\gamma}_1^{-1} (\tilde{\gamma}_2(x_{i2}))) & \text{for } d_i = 2. \end{cases}$$

for generic  $\tilde{\alpha}, \tilde{\gamma}$ , and  $g(w_i, \tilde{\gamma}) := g(w_i, \alpha, \tilde{\gamma})$  at the true  $\alpha$ . Define the pathwise functional derivative of  $g$  at  $\gamma$  along direction  $\tau$  by

$$G(w_i, \tau) := \lim_{t \rightarrow 0} \frac{1}{t} [g(w_i, \gamma + t\tau) - g(w_i, \gamma)].$$

Then, following Newey (1994), the influence function can be derived analytically<sup>15</sup> based on  $G$  and takes the form of  $\varphi(w_i) \bar{z}_i \epsilon_i$  with

$$\varphi(w_i) := - \left( \lambda_1 \frac{\alpha_2}{\gamma_2'} - \lambda_2 \frac{\alpha_1}{\gamma_1'} \right) (\mathbb{1}\{d_i = 1\} - \mathbb{1}\{d_i = 2\}),$$

where  $\gamma_k'$  denotes  $\frac{\partial}{\partial h_k} \gamma_k(x_{ik}; z_i)$ ,  $\lambda_1$  stands for

$$\lambda_1(x_i, z_i) := \mathbb{E}[\mathbb{1}\{d_i = 1\} | x_i, z_i]$$

i.e., the conditional probability of observing  $x_{i1}$ , and  $\lambda_2 := 1 - \lambda_1$ .

The influence function essentially characterizes how the first-stage estimation influences the asymptotic variance of the final estimator. Formally, we present the following assumption, commonly known as an asymptotic linearity condition, which basically requires that the expected error induced by the first-stage estimation is asymptotically equivalent to the sample average of  $\varphi(w_i) \bar{z}_i \epsilon_i$ . In particular, the formula for  $\varphi$  given above will be the same regardless of the specific forms of first-step estimators used, provided that some suitable regularity conditions are satisfied.

**Assumption 10** (Asymptotic linearity). *Suppose*

$$\int G(w, \hat{\gamma} - \gamma) d\mathbb{P}(w) = \frac{1}{N} \sum_{i=1}^N \varphi(w_i) \bar{z}_i \epsilon_i + o_p(N^{-\frac{1}{2}}).$$

We emphasize that Assumptions 9 and 10 are standard assumptions widely imposed in the semiparametric estimation literature, which can be satisfied by many

---

<sup>15</sup>See the proof of Theorem 2 for details on the calculation.

kernel or sieve first-stage estimators under a variety of conditions. See Newey (1994), Newey and McFadden (1994) and Chen, Linton, and Van Keilegom (2003) for references. In Assumption 11 below, we also provide an example of lower-level conditions that replace Assumptions 9 and 10 when we use the Nadaraya-Watson kernel estimator in the first-stage nonparametric regression.

The next theorem establishes the asymptotic normality of  $\hat{\alpha}$ .

**Theorem 2** (Asymptotic Normality). *Under Assumptions 1-10,*

$$\sqrt{N}(\hat{\alpha} - \alpha) \xrightarrow{d} \mathcal{N}(\mathbf{0}, \Sigma),$$

where  $\Sigma := \Sigma_{zx}^{-1} \Omega \Sigma_{xz}^{-1}$  and

$$\Omega := \mathbb{E} \left[ \bar{z}_i \bar{z}_i' (u_i^2 + [1 + \varphi(w_i)]^2 \epsilon_i^2) \right].$$

We note that, if the latent inputs were observed and the first-step nonparametric regression were not required, the asymptotic variance of standard IV estimator of  $\alpha$  would be given by  $\Sigma_{zx}^{-1} \text{Var}(\bar{z}_i(u_i + \epsilon_i)) \Sigma_{xz}^{-1}$ . Hence, the presence of the additional term  $\delta(z_i)$  in  $\Omega$  captures the effect of the first-step nonparametric regression on the asymptotic variance of  $\hat{\alpha}$ .

To obtain consistent variance estimators, define

$$\hat{\Omega} := \frac{1}{N} \sum_{i=1}^N \bar{z}_i \bar{z}_i' \left[ y_i - \tilde{x}_i' \hat{\alpha} + \hat{\varphi}(w_i)(y_i - \tilde{y}_i) \right]^2$$

where

$$\tilde{y}_i := \begin{cases} \hat{\gamma}_1(x_{i1}, z_i), & \text{for } d_i = 1, \\ \hat{\gamma}_2(x_{i2}, z_i), & \text{for } d_i = 2, \end{cases}$$

and with

$$\hat{\varphi}(w_i) := - \left( \hat{\lambda}_1 \frac{\hat{\alpha}_2}{\hat{\gamma}_2'} - \hat{\lambda}_2 \frac{\hat{\alpha}_1}{\hat{\gamma}_1'} \right) (\mathbb{1}\{d_i = 1\} - \mathbb{1}\{d_i = 2\})$$

where  $\hat{\lambda}_1$  is any consistent nonparametric estimator of  $\lambda_1$ . Then the variance estimators can be obtained as

$$\hat{\Sigma} := S_{x\bar{z}}^{-1} \hat{\Omega} S_{\bar{z}x}^{-1}$$

with  $S_{z\tilde{x}} := \frac{1}{N} \sum_{i=1}^N \bar{z}_i \tilde{x}'_i$ .

**Proposition 1.** *In addition to Assumptions 1-8 and 11, suppose that  $\hat{\lambda}_1$  is any consistent nonparametric estimator of  $\lambda_1$ . Then  $\hat{\Omega} \xrightarrow{p} \Omega$  and  $\hat{\Omega}^* \xrightarrow{p} \Omega^*$ .*

If furthermore  $\lambda_1(x_i, z_i) \equiv \lambda_1 \in (0, 1)$  is assumed, then we may use the sample proportion  $\hat{\lambda}_1 := \frac{1}{N} \sum_i \{d_i = 1\}$ .

### 3.1.4 Lower-Level Regularity Conditions for Kernel First Step

Finally, we present a set of lower-level conditions that replace Assumptions 9 and 10, when we use the canonical Nadaraya-Watson kernel estimator for the nonparametric regression in Step 1. We emphasize that this subsection simply serves as an illustration of Assumptions 9-10 and Theorem 2, as our method does not require the use of a specific form of first-step nonparametric estimators. For sieve (series) first-step estimators, similar results can be derived based on, for example, Newey (1994), Chen (2007) and Chen and Liao (2015).

**Assumption 11** (Example of Lower-Level Conditions with Kernel First Step). *Let  $N_k := \sum_{i=1}^N \mathbb{1}\{d_i = k\}$  denote the number of firms for which  $h_{ik}$  is observed, and let  $\hat{\gamma}_k$  be the Nadaraya-Watson kernel estimator of  $\gamma_k$  defined by*

$$\hat{\gamma}_k(v) := \frac{\frac{1}{N_k b^3} \sum_{d_i=k} K\left(\frac{v-v_{ik}}{b^3}\right) y_i}{\frac{1}{N_k b^3} \sum_{d_i=k} K\left(\frac{v-v_{ik}}{b^3}\right)}$$

where  $v_{ik} := (x_{ik}, z_{i1}, z_{i2})$  for all  $i$  such that  $d_i = k$ . Suppose the following conditions:

- (i)  $\lambda_1(x_i, z_i) \in (\epsilon, 1 - \epsilon)$  for all  $(x_i, z_i)$  for some  $\epsilon > 0$ .
- (ii)  $(x_i, z_i)$  has compact support in  $\mathbb{R}^4$  with joint density  $f$  that is uniformly bounded both above and below away from zero.
- (iii)  $\mathbb{E}[y_i^4] < \infty$  and  $\mathbb{E}[y_i^4 | x_i, z_i] f(x_i, z_i)$  is bounded.
- (iv)  $\gamma_k$  has uniformly bounded derivatives up to order  $p \geq 4$ .
- (v)  $K(u)$  has uniformly bounded derivatives up to order  $p$ ,  $K(u)$  is zero outside a bounded set,  $\int K(u) du = 1$ ,  $\int u^t K(u) du = \mathbf{0}$  for  $t = 1, \dots, p-1$ , and  $\int \|u\|^p |K(u)| du < \infty$ .

(vi)  $b$  is chosen such that  $\frac{\sqrt{\log N}}{\sqrt{Nb^3}} = o\left(N^{-\frac{1}{4}}\right)$  and  $\sqrt{Nb^p} \rightarrow 0$ .

Assumption 11(i) essentially requires that the proportion of observations with  $x_{i1}$  observed and that with  $x_{i2}$  observed are both strictly positive, or in other words, the numbers of both types of observations tend to infinity at the same rate of  $N$ . This guarantees that we can estimate both  $\gamma_1$  based on observations with  $x_{i1}$  and  $\gamma_2$  based on observations with  $x_{i2}$  well enough asymptotically. Assumption 11(iv) is the key smoothness condition that will help establish the Donsker property (and a consequent stochastic equicontinuity condition) in Assumption 9(i). Assumption 11(v)(vi) are concerned with the choice of kernel function  $K$  and bandwidth parameter  $b$ : (v) requires that a “high-order” kernel function (of order  $p$ ) is used, while (vi) requires that the bandwidth is set (in a so-called “under-smoothed” way) so that the kernel estimator  $\hat{\gamma}_k$  converges at a rate faster than  $N^{-1/4}$ , as required in Assumption 9(ii). The requirement of  $p \geq 4$  in (iii) ensures that (vi) is feasible. Together with the additional regularity conditions in (ii)(ii), these conditions ensure that Assumptions 9-10 are satisfied. See Newey and McFadden (1994, Section 8.3) for additional details.

**Proposition 2** (Asymptotic Distributions with Kernel First Step). *Under Assumptions 1-8 and 11, the conclusions of Theorem 2 hold.*

## 3.2 Generalizations

### Additional Instrumental Variables

If additional instruments are available, it is straightforward to incorporate them in the second-stage regression, which will take the form of a two-stage least square estimator instead of an IV regression. Our results will carry over with suitable changes in notation. For example, the asymptotic variance formula for  $\hat{\alpha}$  needs to be adapted as

$$\Sigma := \left(\Sigma_{xz}\Sigma_{zz}^{-1}\Sigma_{zx}\right)^{-1}\Sigma_{xz}\Sigma_{zz}^{-1}\Omega\Sigma_{zz}^{-1}\Sigma_{zx}\left(\Sigma_{xz}\Sigma_{zz}^{-1}\Sigma_{zx}\right)^{-1}.$$

### Other Parametric Production Functions

Consider a potentially nonlinear parametric production function of the form

$$y_i = F_\alpha(x_{i1}, x_{i2}) + u_i + \epsilon_i$$

After the identification of partially latent inputs via Theorem 1, the second stage boils down to the estimation of  $\alpha$  based on the moment condition  $\mathbb{E}[z_i(y_i - F_\alpha(x_{i1}, x_{i2}))] = \mathbf{0}$ , which can be obtained via GMM estimation. Technically, since GMM estimators are Z-estimators, the corresponding asymptotic theory in Newey and McFadden (1994), on which the proof of Theorem 2 is mainly based, still applies with proper changes in notation.

## Nonparametric Production Functions

More generally, with any nonparametric production function that is additively separable in  $u_i$  and  $\epsilon_i$  of the form

$$y_i = F(x_{i1}, x_{i2}) + u_i + \epsilon_i,$$

where  $F$  is an unknown function that satisfies Assumption 2, the only thing that changes is the second-stage nonparametric estimation of  $F$  with the imputed inputs  $\tilde{x}_i$  (or more precisely, with one component known and one component imputed) based on the moment condition  $\mathbb{E}[z_i(y_i - F(x_{i1}, x_{i2}))] = \mathbf{0}$ . The asymptotic theory for this case can be similarly obtained based on theory on nonparametric two-step estimation (e.g. Ai and Chen, 2007, and Hahn, Liao, and Ridder, 2018).

In the more general specification (1):

$$y_i = F(x_{i1}, x_{i2}, u_i) + \epsilon_i$$

where there is no more additive separability in  $u_i$ , one way to obtain identification and implement IV estimation is by adapting Chernozhukov, Imbens, and Newey (2007) to our current context. Essentially, we would need to impose strict monotonicity of  $F$  in  $u_i$ , impose independence of  $u_i$  from  $z_i$ , normalize the distribution of  $u_i$  to be uniform, and then exploit a quantile-based residual condition as described in Chernozhukov, Imbens, and Newey (2007).

### 3.3 A Monte Carlo Experiment

Here we report the findings of some Monte Carlo experiments. Table 1 reports the parameter specifications of the Cobb-Douglas production function that we use in our experiments. We assume that inputs are optimally chosen by a profit maximizing

Table 1: Monte Carlo Parameter Specification

	Constant Across Specification				Variable Across Specification			
	$\alpha_0$	$\alpha_1$	$\alpha_2$	$\mu_z$	$\sigma_z$		$\sigma_u$	$\sigma_\epsilon$
Spec 1	4	0.35	0.25	$\begin{pmatrix} 2.4 \\ 2.1 \end{pmatrix}$	$\begin{pmatrix} 0.05 & 0.01 \\ . & 0.02 \end{pmatrix}$		0.4	0.3
Spec 2	4	0.35	0.25	$\begin{pmatrix} 2.4 \\ 2.1 \end{pmatrix}$	$\begin{pmatrix} 0.05 & 0.01 \\ . & 0.02 \end{pmatrix}$		<b>0.8</b>	0.3
Spec 3	4	0.35	0.25	$\begin{pmatrix} 2.4 \\ 2.1 \end{pmatrix}$	$\begin{pmatrix} \mathbf{0.02} & 0.01 \\ . & 0.02 \end{pmatrix}$		0.4	0.3
Spec 4	4	0.35	0.25	$\begin{pmatrix} 2.4 \\ 2.1 \end{pmatrix}$	$\begin{pmatrix} 0.05 & 0.01 \\ . & 0.02 \end{pmatrix}$		0.4	<b>0.5</b>

firm as discussed in detail in Appendix A. The Spec 1 is the baseline specification. These parameters were chosen so that the simulated data are broadly consistent with the descriptive statistics of our first application that we discuss in detail in Section 4. The Spec 2 has a larger variance in productivity shocks ( $u_i$ ), the Spec 3 has a smaller variance in wage distributions ( $z_i$ ), and Spec 4 has a larger variance in measurement errors ( $e_i$ ).

Specifically, we consider  $L$  different markets, with each market containing  $I$  firms, so that the total number of firms is  $N = L \times I$ . Firms in the same market  $l$  will all pay the same local wages, which we will use as the instrumental variables. Local wages are drawn from a joint log-normal distribution with mean  $\mu_z$  and variance  $\sigma_z$  where wages for the two inputs are positively correlated. The firm-level idiosyncratic productivity shocks and the measurement errors are independently drawn from normal distributions with zero means and variances  $\sigma_u$  and  $\sigma_e$ , respectively. We consider different configurations of  $L$  and  $I$ : specifically,  $L = 50, 100, 500$  and  $I = 1, 50, 100$ .

For each experiment, we compute the difference between the true parameter value and the sample average of the estimates using 1000 replications ( $M$ ). This is a measure of the bias of our estimator. We also estimate the root mean squared error (RMSE) using the sample standard deviation of our estimates.

Note that our data generating process mechanically implies  $x_{i1}$  and  $x_{i2}$  have a linear relationship with  $y_i$ . We estimate  $\gamma_1(\cdot, z_i)$  and  $\gamma_2(\cdot, z_i)$  using second degree

polynomials. Not surprisingly, we find that the estimated coefficients on quadratic terms are almost 0. The interpolated functions  $\gamma_1^{-1}$  and  $\gamma_2^{-1}$  are also almost linear.

Table 2 summarizes the performance of two different estimators: TSLS when all inputs are observed as well as our version of TSLS when inputs are imputed. We refer to our version of the TSLS estimator as the “matched” TSLS estimator. As we would expect given our asymptotic results, the matched TSLS performs almost as well as the standard TSLS estimator under these ideal sampling conditions. This finding holds for all four different specifications and several choices for the number of firms within a market and the number of local markets.

Next, we investigate how our estimator performs when we have a relatively small number of observations in each market. Considering an extreme case, we simulate data for  $L = 500$  and  $I = 1$ . In this case, as we only have a single firm in each market, we cannot impute the missing input variable using within market information. Instead, we pool observations across markets and estimate conditional expectations conditional on  $x_1$  (or  $x_2$ ),  $z_1$ , and  $z_2$ .<sup>16</sup>

Table 2 also summarizes the bias and RMSE where  $L = 500$  and  $I = 1$ . We find that the matched TSLS estimator performs almost as well as the standard TSLS estimator that assumes that both inputs are observed. The only case where the matched TSLS estimator exhibits relatively large bias and RMSE is when the variance of the measurement errors is large (Spec 4).

Next, we evaluate the performance of our estimator in two applications. The first application focuses on pharmacies and studies differences in technology across different types of firms. The second application studies education production functions.

## 4 First Application: Pharmacies

Our first application focuses on the industrial organization of pharmacies. This industry has undergone a dramatic change over the past decades. An industry that used to be primarily dominated by local independent pharmacies has been transformed by the entry of large chains that operate in multiple markets. An important question is the extent to which this transformation has been driven by technological change that has benefited large chains over smaller independently operated pharmacies. If this is

---

<sup>16</sup>Note that the missing inputs are imputed for each market separately when  $I \neq 1$ .



Table 2: Monte Carlo: Different Markets

Param	Number of Markets (L)	Number of Firms (I)	Spec	TSLS		Matched TSLS	
				Bias	RMSE	Bias	RMSE
$\alpha_0$	50	50	1	0.001	0.000	0.001	0.000
$\alpha_0$	100	100	1	0.000	0.000	-0.000	0.000
$\alpha_0$	50	50	2	0.001	0.000	0.001	0.000
$\alpha_0$	100	100	2	0.000	0.000	-0.000	0.000
$\alpha_0$	50	50	3	0.001	0.000	0.001	0.000
$\alpha_0$	100	100	3	0.000	0.000	-0.000	0.000
$\alpha_0$	50	50	4	0.001	0.000	0.001	0.000
$\alpha_0$	100	100	4	0.000	0.000	0.000	0.000
$\alpha_0$	500	1	1	-0.000	0.001	-0.002	0.001
$\alpha_0$	500	1	2	-0.001	0.002	-0.002	0.002
$\alpha_0$	500	1	3	-0.000	0.001	-0.001	0.001
$\alpha_0$	500	1	4	-0.001	0.001	-0.002	0.001
$\alpha_1$	50	50	1	-0.003	0.002	-0.004	0.003
$\alpha_1$	100	100	1	0.000	0.001	0.001	0.001
$\alpha_1$	50	50	2	-0.004	0.007	-0.007	0.009
$\alpha_1$	100	100	2	0.001	0.002	0.001	0.002
$\alpha_1$	50	50	3	-0.005	0.006	-0.007	0.007
$\alpha_1$	100	100	3	0.000	0.001	0.001	0.002
$\alpha_1$	50	50	4	-0.003	0.004	-0.004	0.005
$\alpha_1$	100	100	4	0.000	0.001	0.001	0.001
$\alpha_1$	500	1	1	0.008	0.011	0.010	0.013
$\alpha_1$	500	1	2	0.020	0.039	0.024	0.045
$\alpha_1$	500	1	3	0.007	0.027	0.010	0.033
$\alpha_1$	500	1	4	0.009	0.018	0.015	0.024
$\alpha_2$	50	50	1	0.003	0.003	0.005	0.004
$\alpha_2$	100	100	1	-0.000	0.001	-0.001	0.001
$\alpha_2$	50	50	2	0.003	0.010	0.006	0.012
$\alpha_2$	100	100	2	-0.002	0.002	-0.002	0.003
$\alpha_2$	50	50	3	0.005	0.006	0.007	0.007
$\alpha_2$	100	100	3	-0.000	0.001	-0.001	0.002
$\alpha_2$	50	50	4	0.004	0.005	0.005	0.007
$\alpha_2$	100	100	4	-0.000	0.001	-0.001	0.002
$\alpha_2$	500	1	1	-0.013	0.017	-0.015	0.019
$\alpha_2$	500	1	2	-0.039	0.062	-0.043	0.074
$\alpha_2$	500	1	3	-0.011	0.029	-0.014	0.034
$\alpha_2$	500	1	4	-0.014	0.026	-0.020	0.036

in fact the case, these technological changes may help to explain why this profession has become so popular with females (Goldin and Katz, 2016).

The main data set that we use is the National Pharmacist Workforce Survey of 2000 which is collected by Midwestern Pharmacy Research. The data comes from a cross-sectional survey answered by randomly selected individual pharmacists with active licenses. The data set is composed of two types of information: information about pharmacists and information about the pharmacy each pharmacist works at.

Information at the pharmacy level includes the type of pharmacy (*Independent* or *Chain*), the hours of operation per week, the number of pharmacists employed, and the typical number of prescriptions dispensed at the pharmacies per week. The store-level information is provided by an individual pharmacist who works at the pharmacy, thus the quality of the responses may depend on how knowledgeable the person is about the pharmacy. However, considering that most of the pharmacists in our sample are observed to be full-time pharmacists, the quality of the firm-level data is likely to be high. The number of prescriptions dispensed at the pharmacy is our measure of output. As a consequence, we do not have to use revenue based output measures which could bias our analysis as discussed, for example, in Epple, Gordon, and Sieg (2010).

Table 3 summarizes the means of key variables that are observed at the firm or pharmacy level. After eliminating cases with missing input/output information, we observe 332 pharmacists. Table 3 suggests that there are some pronounced differences between chains and independent pharmacies. Chains are more likely to be located in larger urban areas than independent pharmacies. They also operate longer hours per week. Interestingly, hourly productivity measured by the number of prescriptions per hour is, on average, similar to the independent pharmacies with similar employment size.<sup>17</sup> We explore these issues in more detail below and test whether the different types of pharmacies have access to the same technology.

The survey also collects various information about pharmacists including hours of work, demographics, and household characteristics. Most importantly we observe the position at the pharmacy (*Owner/Manager* or *Employee*). We treat hours of the manager ( $x_1$ ) and hours of the employees ( $x_2$ ) as the two input factors in the

---

<sup>17</sup>Most pharmacies in our sample have one manager pharmacist and one employee pharmacist, but there are a few pharmacies with a larger employment size. See Appendix C for details on how to compute employees' hours work for the pharmacies with multiple employees.

Table 3: Summary Statistics at the Firm Level: Pharmacies

Firm Type	Number Pharmacists	Emp Size	Operating Hours	Prescriptions per Week	Prescriptions per Hour	Prop Urban	Number of Obs
Indep	$n < 2$	3.15	51.96	778.00	14.94	0.63	50
		(1.41)	(7.08)	(368.95)	(6.54)	(0.39)	
Indep	$2 \leq n < 3$	3.94	56.99	914.40	16.09	0.71	58
		(1.80)	(10.04)	(472.81)	(8.43)	(0.34)	
Indep	$3 \leq n$	4.71	64.24	1252.22	19.44	0.78	36
		(1.44)	(14.15)	(610.61)	(8.75)	(0.32)	
Chain	$n < 2$	1.88	53.50	666.88	12.90	0.81	8
		(0.99)	(8.02)	(278.84)	(6.58)	(0.34)	
Chain	$2 \leq n < 3$	3.25	80.50	1294.68	16.21	0.81	101
		(1.36)	(9.86)	(595.08)	(7.66)	(0.29)	
Chain	$3 \leq n$	5.32	82.82	1765.67	21.43	0.89	79
		(1.63)	(13.67)	(681.57)	(7.87)	(0.20)	

Independent pharmacies: fewer than 10 stores under the same ownership.

Chain pharmacies: more than 10 stores under the same ownership.

Standard deviations in parentheses.

One part-time pharmacist is counted as 0.5 pharmacist in number of pharmacists.

Employment size includes interns and technicians.

production function.

Information related to the individual pharmacists is summarized in Table 4. Employee pharmacists at independent pharmacies work fewer hours than the employee pharmacists at chain pharmacies, and hourly earnings are lower than those of the employees at the chains. Pharmacists in managerial positions at independent pharmacies work more hours than do managers at chain pharmacies, but they have lower hourly earnings on average.

We observe only one pharmacy in each local labor market, which is defined as the 5-digit zip code area. Hence, we need to use the version of our estimator that averages across local markets as discussed in Section 3.3. We use imputed hourly wages for the manager and the employer as the additional observed covariates  $(z_1, z_2)$  for the first-stage estimation.<sup>18</sup> In the second stage estimation, we use the observed

<sup>18</sup>In this application, we only observe the wage for the observed type. Thus, wages are imputed using local demand shifters in 5-digit zip code levels and pharmacists' characteristics. We have verified with additional Monte Carlo simulation exercise that our method performs as well as the standard TSLS estimator with this variation.

Table 4: Summary Statistics at the Worker Level: Pharmacists

Firm Type	Position	Number of Pharmacists	Actual Hours	Paid Hours	Hourly Earnings	Number of Obs
Indep	Employee	$n < 2$	40.94 (11.61)	39.28 ( 9.60)	28.87 (7.64)	9
Indep	Employee	$2 \leq n < 3$	33.90 (12.01)	33.03 (11.14)	29.37 (4.09)	29
Indep	Employee	$3 \leq n$	31.61 (11.62)	30.95 (10.96)	30.24 (4.93)	28
Indep	Manager	$n < 2$	50.02 (9.05)	45.34 (7.24)	30.32 (12.45)	41
Indep	Manager	$2 \leq n < 3$	49.45 (8.15)	44.19 (7.99)	28.70 (9.90)	29
Indep	Manager	$3 \leq n$	46.50 (4.11)	44.38 (6.30)	30.28 (6.57)	8
Chain	Employee	$n < 2$	46.20 (2.77)	43.00 (4.47)	34.70 (2.19)	5
Chain	Employee	$2 \leq n < 3$	41.82 (5.76)	39.84 (4.38)	34.13 (3.32)	66
Chain	Employee	$3 \leq n$	39.96 (8.63)	37.94 (7.02)	34.03 (3.12)	56
Chain	Manager	$n < 2$	45.33 (5.03)	42.00 (2.65)	36.75 (4.43)	3
Chain	Manager	$2 \leq n < 3$	44.10 (7.02)	40.50 (2.58)	34.06 (4.90)	35
Chain	Manager	$3 \leq n$	43.61 (5.41)	41.43 (3.41)	35.04 (3.59)	23

Independent pharmacies: fewer than 10 stores under the same ownership.

Chain pharmacies: more than 10 stores under the same ownership.

Hourly earnings are computed based on the paid hours, not actual hours.

Standard deviations in parentheses.

wage for the observed position and principal components of local demand shifters as additional instruments.<sup>19</sup>

We test whether the observed labor inputs are indeed the optimal choice of firms. If the inputs are optimally chosen, the coefficients can be directly estimated from equation (14) in Appendix A. Under the assumption of Cobb-Douglas production, we can test the optimality by jointly testing the null hypothesis of equality of both coefficients. Table 5 shows the results. A formal Wald test rejects the null hypothesis of optimality. Thus, the direct inversion of the optimality conditions cannot be applied to estimate the parameters of the production function, whereas our new estimator is feasible.

Table 5: Test for Optimality of Inputs

	Independent		Chain	
	$x_1$ Observed	$x_2$ Observed	$x_1$ Observed	$x_2$ Observed
Wald Statistic	5.495	36.914	15.312	26.172
p-value	(0.064)	(0.000)	(0.000)	(0.000)

We implement two versions of our “matched” TSLS estimator: the first estimator uses the observed outputs while the second one uses expected outputs. Since the observed output is subject to a measurement error, the semi-parametric estimator using expected outputs offers the potential of some efficiency gains as discussed in Appendix B.4. Table 6 summarizes our findings. We report the estimated parameters of the Cobb-Douglas production function as well as the estimated standard errors. In addition, we report standard F-statistics for the first stage of the TSLS estimator to test for weak instruments. Overall, we find that our instruments are sufficiently strong in most cases.<sup>20</sup>

Table 6 shows that we estimate most of parameters of the production function with good precision. Correcting for potential measurement error by using the expected output as the dependent variable, we achieve similar, maybe even slightly more plausible estimates.<sup>21</sup>

<sup>19</sup>The local demand shifters include total population size, median household income, and proportion of households with retirement income.

<sup>20</sup>As a robustness check, we also explored a different matching algorithm which estimates the expectation of output conditional on local demand shifters rather than wages. The results are consistent although the matching algorithm with local demand shifters gives slightly larger point

Table 6: Estimation Result

	Independent		Chain	
	Observed Outputs	Expected Outputs	Observed Outputs	Expected Outputs
$\alpha_0$	5.447 (0.597)	5.857 (0.331)	2.504 (1.790)	3.634 (1.060)
$\alpha_1$	0.227 (0.122)	0.163 (0.057)	0.819 (0.454)	0.687 (0.268)
$\alpha_2$	0.090 (0.071)	0.047 (0.051)	0.409 (0.191)	0.250 (0.105)
Nobs	144	144	188	188
First-stage F for $x_1$	9.320	9.320	11.774	11.774
First-stage F for $x_2$	13.648	13.648	3.630	3.630

Our results provide several insights to understanding the difference between independents and chains. First, our results indicate that chains may have a different production function than independent pharmacies. A formal joint hypothesis test reported in Table 7 rejects the null hypothesis that the coefficients of the production function are the same.

Second, our findings also suggest that managers may be more effective in chains than independents. A formal one-sided t-test reported in Table 7 rejects the null hypothesis that the two coefficients that characterize managerial efficiency are the same.

Table 7: Hypothesis Tests

	Production Function (Joint)	Managerial Efficiency $\alpha_1$	Residual Variance $V(u)$
Independent		0.163	0.010
Chain		0.687	0.006
Difference or Ratio		-0.524	1.532
Test Statistics	122.841	-1.913	1.532
Test	<i>Wald</i>	<i>t</i>	<i>F</i>
p-value	(0.000)	(0.028)	(0.003)

estimates with slightly less precision.

<sup>21</sup>Appendix C provides some additional robustness checks.

Finally, we find that chains have a significantly lower residual variance than independents. A formal F test reported in Table 7 rejects the null hypothesis that the residual variance of independents is greater than or equal to the residual variance of chains. Note that all the tests are based on the estimation results with the expected outputs as the dependent variable.

We thus conclude that chains have different production functions than independent pharmacies which may partially explain the change in the observed market structure of that industry. However, more research is needed to fully address this important research question.

## 5 Second Application: Skill Production Functions

Our second application focuses on the estimation of skill production functions. Here we assume that a child’s achievement  $y_i$  is a function of the mother’s and the father’s time inputs, denoted by  $x_{im}$  and  $x_{if}$ . Again, we consider a log-linear Cobb-Douglas specification given by

$$y_i = \alpha_i + \alpha_m x_{im} + \alpha_f x_{if} + u_i \quad (11)$$

where heterogeneity in the intercept is given by:

$$\alpha_i = x_i' \alpha_0 \quad (12)$$

Hence, we assume that the baseline productivity  $\alpha_i$  varies with family characteristics, such as family income. As before, we can estimate the education production function using TSLS with wages as instruments for inputs as well as our “matched” TSLS estimator if some inputs are partially latent.

Our data is based on the four available waves of the Child Development Supplement (CDS). These are the cohorts interviewed in 1997, 2002, 2007, and 2014.<sup>22</sup> For these children, we have detailed time usage information of their parents on two days, each of which is randomly selected among weekdays and weekends, respectively. Based on this time diary information we can construct time inputs for mothers and

---

<sup>22</sup>The CDS 1997 cohort consists of up to 12-year-old children and follows them for 3 waves (1997, 2001, 2007). The CDS 2014 cohort consists of children that were up to 17 years old in 2013.

fathers.<sup>23</sup> The CDS can be linked to the original PSID survey using the family ID. Hence, we have detailed parental information such as education level, household income, and the number of children.

The CDS collects multiple measures of child development including both cognitive and non-cognitive skills. We focus on two important cognitive tests. First, we study the passage comprehension test which assesses reading comprehension and vocabulary among children aged between 6 and 17. Second, we analyze the applied problems test which assesses mathematics reasoning, achievement, and knowledge for children aged between 6 and 17.<sup>24</sup>

We begin by estimating an education production function using the subsample of children who live in married households. Hence, we observe the mother's and the father's inputs in the data set. We observe 3,236 children with complete inputs and applied problem scores as well as 2,789 children with complete inputs and reading comprehension scores. Table 8 provides descriptive statistics of the main variables in our sample.

We can estimate the model using the traditional TSLS estimator. We compare these estimates with our matched TSLS which is based on a sample in which we randomly omit one of the two inputs. This exercise allows us to compare the performance of both estimators when there is no latent input problem. We restrict our attention to married couples with both spouses living together. We exclude families with more than 5 children. As instruments for time inputs we use education, employment status, hourly wage, age of children. To preserve the representativeness of our sample, we use the child-level survey weight for all analyses. Household labor income is measured in 10,000 dollars. Table 9 summarizes our findings.

Overall, our empirical findings are reasonable. We find that investments in child quality decrease with the number of children in the family and increase with household income, as expected. Both parental time inputs are positive and typically statistically significant and economically meaningful. Comparing the TSLS with our matched TSLS estimator, we find that the results are remarkably similar, especially for the passage comprehension test. The results for the applied problem test are also

---

<sup>23</sup>We exclude families with stepmother and stepfather from our sample.

<sup>24</sup>We also analyzed the letter word test which assesses symbolic learning and reading identification skills. There are also two non-cognitive measures. The externalizing behavioral problem index measures disruptive, aggressive, or destructive behavior. The internalizing behavioral problem index measures expressions of withdrawn, sad, fearful, or anxious feelings.



Table 8: Summary Statistics of CDS Sample

	Married Sample	Divorced Sample
<b>Output variables (y)</b>		
Applied Problem Score (Standardized)	107.58 (16.63)	101.28 (16.92)
Passage Comprehension Score (Standardized)	105.89 (14.77)	99.48 (14.49)
<b>Input variables (x)</b>		
Mother's Time Input	20.77 (14.32)	15.18 (14.06)
Father's Time Input	13.87 (11.96)	4.34 (13.81)
<b>Other covariates (z) and additional instruments</b>		
Total Number of Child In Family	2.17 (0.9)	2.1 (0.9)
Child's Age At Interview	9.68 (4.74)	11.37 (4.44)
Total Household Labor Income (in 2011 Dollar)	68941 (55732)	24158 (28616)
Mother's Age	37.05 (7.27)	37.3 (6.85)
Father's Age	39.1 (7.7)	38.81 (8.8)
Mother's Years of Education	13.51 (2.57)	12.92 (1.97)
Father's Years of Education	13.38 (3.21)	12.97 (1.9)
Prop of Living With Mother	-	0.88

Table 9: Skill Production Function: Married Sample

	Applied Problems		Passage Comprehension	
	TSLS	matched TSLS	TSLS	matched TSLS
Mom Hour	0.016 (0.008)	0.027 (0.002)	0.100 (0.012)	0.098 (0.033)
Dad Hour	0.032 (0.007)	0.021 (0.007)	0.017 (0.009)	0.006 (0.040)
Num Child = 2	-0.011 (0.008)	0.034 (0.020)	-0.051 (0.013)	-0.097 (0.150)
Num Child = 3+	0.008 (0.009)	0.077 (0.026)	-0.030 (0.014)	-0.059 (0.152)
Household Labor Inc	0.008 (0.001)	0.006 (0.002)	0.010 (0.001)	0.009 (0.017)
Constant	4.510 (0.017)	4.484 (0.026)	4.321 (0.026)	4.380 (0.223)
Nobs	3,236	3,236	2,789	2,789
First-stage F for $x_m$	61.997	127.295	41.812	58.530
First-stage F for $x_f$	62.636	117.966	58.654	59.156

encouraging although the differences in the estimates are slightly larger. Qualitatively, we reach the same conclusions with both estimators. We thus conclude that our matched TSLS performs well in this sample.

Next, we consider the subsample that consists of households that self-reported to be either divorced or separated. We exclude single households for obvious reasons. In all households in this sample one of the parents is not living in the child's household. We typically do not observe time inputs for these divorced parents. For the applied problem (passage comprehension) score we observe 785 (723) children with the mother's input. There are 103 (92) observations where we have the father's input, which we use for imputation purposes.<sup>25</sup> Note that the standard TSLS is no longer feasible in this subsample because of the latent variable problem. Table 10 summarizes our findings.

Table 10 shows that the time inputs for mothers are positive, statistically significant, and economically meaningful. Moreover, the point estimates for the applied problem test are similar to the ones we obtained for the married sample reported in

<sup>25</sup>Missing instruments for the unobserved spouse are imputed using standard techniques based on the observed spouse's information.

Table 10: Skill Production Function: Divorced Sample

	Applied Problems matched TSLS	Passage Comprehension matched TSLS
Mom Hour	0.050 (0.028)	0.037 (0.015)
Dad Hour	0.010 (0.013)	0.001 (0.003)
Num Child = 2	0.051 (0.055)	0.019 (0.039)
Num Child = 3+	0.002 (0.056)	-0.015 (0.066)
Household Labor Inc	-0.013 (0.016)	-0.006 (0.004)
Constant	4.548 (0.078)	4.529 (0.061)
Nobs	785	723
First-stage F for $x_m$	40.532	35.264
First-stage F for $x_f$	15.715	56.184

Table 9. The main difference is that mother’s time inputs are slightly less productive for children from divorced families, and father’s time inputs are not statistically different from zero. In summary, our estimator works well in this application and yields plausible and accurate point estimates for most coefficients of interest. Most importantly, we find that the inputs of divorced fathers into the skill formation function of their children seem to be negligible.

## 6 Concluding Remarks

We have developed a new method for identifying production functions with partially latent inputs. These models, which play a large role in industrial organization and labor economics, can be non-parametrically identified if the partially latent inputs are monotonic functions of a common shock. The partially latent data structure arises quite naturally in these settings if we employ an “input-based sampling” strategy, i.e. if the sampling unit is one of multiple labor input factors. It is plausible that the sampling unit will only have incomplete information about the other labor inputs that

affect output. Our proofs of identification are constructive and imply a sequential, two-step semi-parametric estimation strategy. We have discussed the key problems encountered in estimation, characterized rate of convergence, and the asymptotic distribution of our estimators.

We also presented two applications of our technique. Our first application focuses on estimating team production functions. Using a national survey of pharmacists, we have found some convincing evidence that chains have different technologies than independently operated pharmacies. In particular, managers appear to be more productive in chains. Our second application focuses on the estimation of education production functions, which play a large role in labor and family economics. We have shown that our matched TSLS estimator produces similar results to the feasible TSLS estimator in a sample of children in married households, where both parental inputs are observed. We have also considered a sample of children from divorced households where father's inputs must be imputed. We find that the inputs of divorced fathers into the skill formation function of their children is negligible.

Finally, our research provides ample scope for future research. We have restricted ourselves to applications in which our method of identification can be combined with standard IV techniques to estimate the functions of interest. Much of the recent panel data literature has focused on dynamic inputs in the presence of adjustment costs. More research is clearly needed to evaluate whether the ideas presented in this paper can be extended and applied to dynamic panel data frameworks. We have also restricted ourselves to systems of inputs with a single common shock. Another potentially interesting research question is how our methods can be extended to more complicated econometric structures with multiple shocks.

## References

- ABADIE, A. AND G. IMBENS (2006): “Large Sample Properties of Matching Estimators for Average Treatment Effects,” *Econometrica*, 74 (1), 235–67.
- ABREVAYA, J. AND S. G. DONALD (2017): “A GMM approach for dealing with missing data on regressors,” *Review of Economics and Statistics*, 99, 657–662.
- ACEMOGLU, D. AND D. AUTOR (2011): “Skills, Tasks and Technologies: Implications for Employment and Earnings,” in *Handbook of Labor Economics*, ed. by D. Card and O. Ashenfelter, Elsevier, 1043–1171.
- ACKERBERG, D., X. CHEN, J. HAHN, AND Z. LIAO (2014): “Asymptotic efficiency of semiparametric two-step GMM,” *Review of Economic Studies*, 81, 919–943.
- ACKERBERG, D. A., K. CAVES, AND G. FRAZER (2015): “Identification properties of recent production function estimators,” *Econometrica*, 83, 2411–2451.
- AI, C. AND X. CHEN (2007): “Estimation of possibly misspecified semiparametric conditional moment restriction models with different conditioning variables,” *Journal of Econometrics*, 141, 5–43.
- BLUNDELL, R. AND S. BOND (1998): “Initial conditions and moment restrictions in dynamic panel data models,” *Journal of Econometrics*, 87, 115–143.
- (2000): “GMM estimation with persistent panel data: an application to production functions,” *Econometric Reviews*, 19, 321–340.
- CHAUDHURI, S. AND D. K. GUILKEY (2016): “GMM with multiple missing variables,” *Journal of Applied Econometrics*, 31, 678–706.
- CHEN, X. (2007): “Large sample sieve estimation of semi-nonparametric models,” *Handbook of econometrics*, 6, 5549–5632.
- CHEN, X. AND Z. LIAO (2015): “Sieve semiparametric two-step GMM under weak dependence,” *Journal of Econometrics*, 189, 163–186.
- CHEN, X., O. LINTON, AND I. VAN KEILEGOM (2003): “Estimation of semiparametric models when the criterion function is not smooth,” *Econometrica*, 71, 1591–1608.

- CHERNOZHUKOV, V., G. W. IMBENS, AND W. K. NEWEY (2007): “Instrumental variable estimation of nonseparable models,” *Journal of Econometrics*, 139, 4–14.
- CUNHA, F., J. HECKMAN, AND S. SCHENNACH (2010): “Estimating the Technology of Cognitive and Non-cognitive Skill Formation.” *Econometrica*, 78, 883–931.
- DORASZELSKI, U. AND J. JAUMANDREU (2013): “R & D and Productivity: Estimating Endogenous Productivity,” *Review of Economic Studies*, 80, 1338–83.
- EPPLE, D., B. GORDON, AND H. SIEG (2010): “A new approach to estimating the production function for housing,” *American Economic Review*, 100, 905–24.
- FISHER, R. (1935): *Design of Experiments*, Hafner, new York.
- GANDHI, A., S. NAVARRO, AND D. RIVERS (2020): “On the Identification of Gross Output Production Functions,” *Journal of Political Economy*, 128, 2973–3016.
- GOLDIN, C. AND L. F. KATZ (2016): “A most egalitarian profession: pharmacy and the evolution of a family-friendly occupation,” *Journal of Labor Economics*, 34, 705–746.
- GRAHAM, B. S. (2011): “Efficiency bounds for missing data models with semiparametric restrictions,” *Econometrica*, 79, 437–452.
- GRILICHES, Z. AND J. MAIRESSE (1998): “Production Functions: The Search for Identification,” in *Econometrics and Economic Theory in the 20th Century: The Ragnar Frisch Centennial Symposium*, ed. by S. Strøm, Cambridge University Press, 169–203.
- HAANWINCKEL, D. (2018): “Supply, Demand, Institutions, and Firms: A Theory of Labor Market Sorting and the Wage Distribution,” Working Paper.
- HAHN, J., Z. LIAO, AND G. RIDDER (2018): “Nonparametric two-step sieve M estimation and inference,” *Econometric Theory*, 34, 1281–1324.
- HANSEN, B. E. (2008): “Uniform convergence rates for kernel estimation with dependent data,” *Econometric Theory*, 726–748.
- HECKMAN, J., H. ICHIMURA, J. SMITH, AND P. TODD (1998): “Characterizing Selection Bias using Experimental Data,” *Econometrica*, 66 (2), 315–331.

- HOCH, I. (1955): “Estimation of production function parameters and testing for efficiency,” *Econometrica*, 23, 325–26.
- (1962): “Estimation of production function parameters combining time-series and cross-section data,” *Econometrica*, 34–53.
- LEVINSOHN, J. AND A. PETRIN (2003): “Estimating production functions using inputs to control for unobservables,” *The Review of Economic Studies*, 70, 317–341.
- LITTLE, R. J. (1992): “Regression with missing X’s: a review,” *Journal of the American statistical association*, 87, 1227–1237.
- MARSCHAK, J. AND W. H. ANDREWS (1944): “Random simultaneous equations and the theory of production,” *Econometrica*, 143–205.
- MATZKIN, R. L. (2007): “Nonparametric identification,” *Handbook of econometrics*, 6, 5307–5368.
- MCDONOUGH, I. K. AND D. L. MILLIMET (2017): “Missing data, imputation, and endogeneity,” *Journal of Econometrics*, 199, 141–155.
- MILGROM, P. AND C. SHANNON (1994): “Monotone comparative statics,” *Econometrica: Journal of the Econometric Society*, 157–180.
- MUNDLAK, Y. (1961): “Empirical production function free of management bias,” *Journal of Farm Economics*, 43, 44–56.
- (1963): “Specification and estimation of multiproduct production functions,” *Journal of Farm Economics*, 45, 433–443.
- NEWKEY, K. AND D. MCFADDEN (1994): “Large sample estimation and hypothesis testing,” *Handbook of Econometrics, IV, Edited by RF Engle and DL McFadden*, 2112–2245.
- NEWKEY, W. K. (1994): “The asymptotic variance of semiparametric estimators,” *Econometrica*, 1349–1382.
- OLLEY, G. S. AND A. PAKES (1996): “The Dynamics of Productivity in the Telecommunications Equipment Industry,” *Econometrica*, 64, 1263–1297.

- RIDDER, G. AND R. MOFFITT (2007): “The Econometrics of Data Combination,” *Handbook of econometrics*, 6, 5469–5547.
- ROBINS, J. M., A. ROTNITZKY, AND L. P. ZHAO (1994): “Estimation of regression coefficients when some regressors are not always observed,” *Journal of the American statistical Association*, 89, 846–866.
- ROSENBAUM, P. AND D. RUBIN (1983): “The central role of the propensity score in observational studies for causal effects,” *Biometrika*, 70, 41–55.
- ROY, S. AND T. SABARWAL (2010): “Monotone comparative statics for games with strategic substitutes,” *Journal of Mathematical Economics*, 46, 793–806.
- RUBIN, D. (1973): “Matching to Remove Bias in Observational Studies,” *Biometrics*, 29, 159–183.
- RUBIN, D. B. (1976): “Inference and missing data,” *Biometrika*, 63, 581–592.
- TODD, P. AND K. WOLPIN (2003): “On the Specification and Estimation of the Production Function for Cognitive Achievement,” *Economic Journal*, 113, F3–33.
- VAN DER VAART, A. W. AND J. A. WELLNER (1996): *Weak Convergence and Empirical Processes*, Springer.
- VIVES, X. (2000): *Oligopoly pricing: Old ideas and new trends*, Cambridge, MA: MIT Press.
- WOOLDRIDGE, J. M. (2007): “Inverse probability weighted estimation for general missing data problems,” *Journal of econometrics*, 141, 1281–1301.



## A The Cobb-Douglas Case with Optimal Inputs

Suppose that firm  $i$  chooses inputs optimally by solving the following (expected) profit-maximization problem:

$$\max_{X_{i1}, X_{i2}} e^{\alpha_0 + u_i} X_{i1}^{\alpha_1} X_{i2}^{\alpha_2} e^{u_i} - Z_{i1} X_{i1} - Z_{i2} X_{i2}, \quad (13)$$

where  $X_{i1}, X_{i2}, Z_{i1}, Z_{i2}$  denote exponents of  $x_{i1}, x_{i2}, z_{i1}, z_{i2}$ . By the first-order conditions,

$$\begin{aligned} X_{i1} &= e^{\frac{\alpha_0 + u_i}{1 - \alpha_1 - \alpha_2}} \left( \frac{Z_{i1}}{\alpha_1} \right)^{\frac{1 - \alpha_2}{\alpha_1 + \alpha_2 - 1}} \left( \frac{Z_{i2}}{\alpha_2} \right)^{\frac{\alpha_2}{\alpha_1 + \alpha_2 - 1}} \\ X_{i2} &= e^{\frac{\alpha_0 + u_i}{1 - \alpha_1 - \alpha_2}} \left( \frac{Z_{i2}}{\alpha_2} \right)^{\frac{1 - \alpha_1}{\alpha_1 + \alpha_2 - 1}} \left( \frac{Z_{i1}}{\alpha_1} \right)^{\frac{\alpha_1}{\alpha_1 + \alpha_2 - 1}} \\ \bar{Y}_i &= e^{\frac{\alpha_0 + u_i}{1 - \alpha_1 - \alpha_2}} \left( \frac{Z_{i1}}{\alpha_1} \right)^{\frac{\alpha_1}{\alpha_1 + \alpha_2 - 1}} \left( \frac{Z_{i2}}{\alpha_2} \right)^{\frac{\alpha_2}{\alpha_1 + \alpha_2 - 1}} \\ &= e^{\alpha_0 + u_i} \left( \frac{\alpha_2 Z_{i1}}{\alpha_1 Z_{i2}} \right)^{\alpha_2} x_{i1}^{\alpha_1 + \alpha_2} = e^{\alpha_0 + u_i} \left( \frac{\alpha_1 Z_{i2}}{\alpha_2 Z_{i1}} \right)^{\alpha_1} x_{i2}^{\alpha_1 + \alpha_2} \end{aligned}$$

In log forms

$$\begin{aligned} x_{i1} = h_1(u_i, z_i) &= \frac{\alpha_0 + (1 - \alpha_2) \log \alpha_1 + \alpha_2 \log \alpha_2}{1 - \alpha_1 - \alpha_2} - \frac{1 - \alpha_2}{1 - \alpha_1 - \alpha_2} z_{i1} - \frac{\alpha_2}{1 - \alpha_1 - \alpha_2} z_{i2} + \frac{1}{1 - \alpha_1 - \alpha_2} u_i \\ x_{i2} = h_2(u_i, z_i) &= \frac{\alpha_0 + \alpha_1 \log \alpha_1 + (1 - \alpha_1) \log \alpha_2}{1 - \alpha_1 - \alpha_2} - \frac{\alpha_1}{1 - \alpha_1 - \alpha_2} z_{i1} - \frac{1 - \alpha_1}{1 - \alpha_1 - \alpha_2} z_{i2} + \frac{1}{1 - \alpha_1 - \alpha_2} u_i \\ \bar{y}_i = \bar{y}(u_i, z_i) &= \frac{\alpha_0 + \alpha_1 \log \alpha_1 + \alpha_2 \log \alpha_2}{1 - \alpha_1 - \alpha_2} - \frac{\alpha_1}{1 - \alpha_1 - \alpha_2} z_{i1} - \frac{\alpha_2}{1 - \alpha_1 - \alpha_2} z_{i2} + \frac{1}{1 - \alpha_1 - \alpha_2} u_i \\ &= \alpha_0 + \alpha_2 \log(\alpha_2/\alpha_1) + (\alpha_1 + \alpha_2) h_1(u_i, z_i) + \alpha_2 z_{i1} - \alpha_2 z_{i2} + u_i \\ &= \alpha_0 + \alpha_1 \log(\alpha_1/\alpha_2) + (\alpha_1 + \alpha_2) h_2(u_i, z_i) - \alpha_1 z_{i1} + \alpha_1 z_{i2} + u_i \end{aligned}$$

Taking inverses

$$\begin{aligned} u_i = h_1^{-1}(x_{i1}, z_i) &:= -[\alpha_0 + (1 - \alpha_2) \log \alpha_1 + \alpha_2 \log \alpha_2] + (1 - \alpha_1 - \alpha_2) x_{i1} + (1 - \alpha_2) z_{i1} + \alpha_2 z_{i2} \\ &= h_2^{-1}(x_{i2}, z_i) := -[\alpha_0 + \alpha_1 \log \alpha_1 + (1 - \alpha_1) \log \alpha_2] + (1 - \alpha_1 - \alpha_2) x_{i2} + \alpha_1 z_{i1} + (1 - \alpha_1) z_{i2} \end{aligned}$$

Hence,

$$\begin{aligned}\gamma_1(x_{i1}, z_i) &= \bar{y}(h_1^{-1}(x_{i1}, z_i), z_i) = -\log \alpha_1 + x_{i1} + z_{i1}, \\ \gamma_2(x_{i2}, z_i) &= \bar{y}(h_2^{-1}(x_{i2}, z_i), z_i) = -\log \alpha_2 + x_{i2} + z_{i2},\end{aligned}$$

and

$$\begin{aligned}y_i &= \gamma_1(x_{i1}, z_i) + \epsilon_i = -\log \alpha_1 + x_{i1} + z_{i1} + \epsilon_i \\ &= \gamma_2(x_{i2}, z_i) + \epsilon_i = -\log \alpha_2 + x_{i2} + z_{i2} + \epsilon_i.\end{aligned}\tag{14}$$

It is then evident that  $\alpha_1$  or  $\alpha_2$  can be estimated directly from (14) from the corresponding subsample where  $x_{i1}$  or  $x_{i2}$  is observed. Furthermore, we may test input optimality based on equation (14).

## B Proofs

### B.1 Additional Notation and Lemmas

**Notation** For each  $i$ , we use  $x_{ij}$  to denote the observed input and use  $x_{ik}$  to denote the latent input variable for firm  $i$ , i.e.

$$\begin{aligned}x_{ij} &= x_{i1}, \quad x_{ik} = x_{i2}, \quad \text{for } d_i = 1, \\ x_{ij} &= x_{i2}, \quad x_{ik} = x_{i1}, \quad \text{for } d_i = 2.\end{aligned}$$

We write

$$\begin{aligned}d_{i1} &:= \mathbb{1}\{d_i = 1\}, \\ d_{i2} &:= \mathbb{1}\{d_i = 2\},\end{aligned}$$

so that  $x_{ij} = d_{i1}x_{i1} + d_{i2}x_{i2}$  while  $x_{ik} := d_{i1}x_{i2} + d_{i2}x_{i1}$ . We write  $\bar{x}_i := (1, x_{i1}, x_{i2})'$  to denote the true regressor vector. (Recall  $\tilde{x}_i$  denotes the same regressor vector with imputed latent input  $\hat{x}_{ik}$  in place of  $x_{ik}$ .)

Moreover, we suppress the instrumental variables  $z_i$  in functions, such as  $\gamma_1(u_i, z_i)$ , unless it becomes necessary to emphasize the dependence of such functions on  $z_i$ .

**Lemma 1.** Under Assumption 8, if  $\|\hat{\gamma}_k - \gamma_k\|_\infty = O_p(a_n)$ , then  $\|\hat{\gamma}_k^{-1} - \gamma_k^{-1}\|_\infty = O_p(a_n)$  and  $|\hat{x}_{ik} - x_{ik}| = O_p(a_n)$ .

*Proof.* By Assumption 8 we have

$$\underline{c}|u_1 - u_2| \leq |\gamma_k(u_1) - \gamma_k(u_2)|$$

For any  $v \in \text{Range}(\gamma_k)$ ,

$$\begin{aligned} |\hat{\gamma}_k^{-1}(v) - \gamma_k^{-1}(v)| &\leq \frac{1}{\underline{c}} |\gamma_k(\hat{\gamma}_k^{-1}(v)) - \gamma_k(\gamma_k^{-1}(v))| = \frac{1}{\underline{c}} |\gamma_k(\hat{\gamma}_k^{-1}(v)) - v| \\ &= \frac{1}{\underline{c}} |\gamma_k(\hat{\gamma}_k^{-1}(v)) - \hat{\gamma}_k(\hat{\gamma}_k^{-1}(v))| \leq \frac{1}{\underline{c}} \|\hat{\gamma}_k - \gamma_k\|_\infty = O_p(a_n). \end{aligned}$$

Furthermore, observing that

$$\underline{c}|\gamma_k^{-1}(v_1) - \gamma_k^{-1}(v_2)| \leq |\gamma_k(\gamma_k^{-1}(v_1)) - \gamma_k(\gamma_k^{-1}(v_2))| = |v_1 - v_2|$$

we have by Assumption 8 and Lemma 1, for  $d_i = 1$ ,

$$\begin{aligned} |\hat{x}_{ik} - x_{ik}| &= |\hat{\gamma}_j^{-1}(\hat{\gamma}_k(x_{ik})) - \gamma_j^{-1}(\gamma_k(x_{ik}))| \\ &= |\hat{\gamma}_j^{-1}(\hat{\gamma}_k(x_{ik})) - \gamma_j^{-1}(\hat{\gamma}_k(x_{ik})) + \gamma_j^{-1}(\hat{\gamma}_k(x_{ik})) - \gamma_j^{-1}(\gamma_k(x_{ik}))| \\ &\leq |\hat{\gamma}_j^{-1}(\hat{\gamma}_k(x_{ik})) - \gamma_j^{-1}(\hat{\gamma}_k(x_{ik}))| + |\gamma_j^{-1}(\hat{\gamma}_k(x_{ik})) - \gamma_j^{-1}(\gamma_k(x_{ik}))| \\ &\leq \|\hat{\gamma}_j^{-1} - \gamma_j^{-1}\|_\infty + \frac{1}{\underline{c}} |\hat{\gamma}_k(x_{ik}) - \gamma_k(x_{ik})| \\ &\leq \|\hat{\gamma}_j^{-1} - \gamma_j^{-1}\|_\infty + \frac{1}{\underline{c}} \|\hat{\gamma}_k - \gamma_k\|_\infty \\ &= O_p(a_n). \end{aligned} \tag{15}$$

□

**Lemma 2.** Under Assumption 8:

(i) The pathwise derivative of  $\gamma_k^{-1}$  w.r.t.  $\gamma_k$  along  $\tau_k \in \Gamma$  is given by

$$\nabla_{\gamma_k} \gamma_k^{-1}[\tau_k] := \lim_{t \searrow 0} \frac{(\gamma_k + t\tau_k)^{-1}(v) - \gamma_k^{-1}(v)}{t} = -\frac{\tau_k(\gamma_k^{-1}(v))}{\gamma_k'(\gamma_k^{-1}(v))}.$$

(ii) The pathwise derivative of  $\gamma_k^{-1}(\gamma_j(\cdot))$  w.r.t.  $\gamma_j$  along  $\tau_j \in \Gamma$  is given by

$$\begin{aligned}\nabla_{\gamma_j} (\gamma_k^{-1} \circ \gamma_j) [\tau_j] &:= \lim_{t \searrow 0} \frac{\gamma_k^{-1}(\gamma_j(x) + t\tau_j(x)) - \gamma_k^{-1}(\gamma_j(x))}{t} \\ &= (\gamma_k^{-1})'(\gamma_j(x)) \tau_j(x) = \frac{1}{\gamma_k'(\gamma_k^{-1}(\gamma_j(x)))} \tau_j(x).\end{aligned}$$

(iii) The second-order derivatives have bounded norms:

$$\begin{aligned}\nabla_{\gamma_k}^2 \gamma_k^{-1} [\tau_k] [\tau_k] &\leq M \|\tau_k\|^2 \\ \nabla_{\gamma_j}^2 (\gamma_k^{-1} \circ \gamma_j) [\tau_j] [\tau_j] &\leq M \|\tau_k\|^2\end{aligned}$$

*Proof.* (i) and (ii) follow immediately from the definition of pathwise derivatives. See, e.g., Lemma 3.9.20 and 3.9.25 in [Van Der Vaart and Wellner \(1996\)](#) for reference. For (iii),

$$\begin{aligned}\nabla_{\gamma_k}^2 \gamma_k^{-1} [\tau_k] [\nu_k] &= \frac{\tau_k'(\gamma_k^{-1})}{\gamma_k'(\gamma_k^{-1})} \cdot \frac{\nu_k(\gamma_k^{-1})}{\gamma_k'(\gamma_k^{-1})} - \frac{\tau_k(\gamma_k^{-1})}{[\gamma_k'(\gamma_k^{-1})]^2} \left[ \gamma_k''(\gamma_k^{-1}) + \frac{1}{\gamma_k'(\gamma_k^{-1})} \right] \nu_k(\gamma_k^{-1}) \\ &\leq M \|\tau_k\| \|\nu_k\|\end{aligned}$$

since  $\gamma_k' \geq \underline{c} > 0$  by Assumption 8 and  $\gamma_k''$  and  $\tau_k'$  are uniformly bounded above by Assumption 9(i). Similarly for  $\nabla_{\gamma_j}^2 (\gamma_k^{-1} \circ \gamma_j)$ .  $\square$

**Lemma 3.** Writing  $\gamma := (\gamma_1, \gamma_2)$ , the pathwise derivative of  $\gamma_k^{-1} \circ \gamma_j$  w.r.t.  $\gamma$  along  $\tau$  is given by

$$\begin{aligned}\nabla_{\gamma} (\gamma_k^{-1} \circ \gamma_j) [\tau] &:= \lim_{t \searrow 0} \frac{(\gamma_k + t\tau_k)^{-1}(\gamma_j(x) + t\tau_j(x)) - \gamma_k^{-1}(\gamma_j(x))}{t} \\ &= \frac{1}{\gamma_k'(\gamma_k^{-1}(\gamma_j(x)))} [\tau_j(x) - \tau_k(\gamma_k^{-1}(\gamma_j(x)))]\end{aligned}$$

*Proof.* By Lemma 2,

$$\begin{aligned}
& \frac{1}{t} [(\gamma_k + t\tau_k)^{-1} (\gamma_j(x) + t\tau_j(x)) - \gamma_k^{-1} (\gamma_j(x))] \\
&= \frac{1}{t} [(\gamma_k + t\tau_k)^{-1} (\gamma_j(x) + t\tau_j(x)) - \gamma_k^{-1} (\gamma_j(x) + t\tau_j(x))] \\
&\quad + \frac{1}{t} [\gamma_k^{-1} (\gamma_j(x) + t\tau_j(x)) - \gamma_k^{-1} (\gamma_j(x))] \\
&\rightarrow \nabla_{\gamma_k} \gamma_k^{-1} [\tau_k] (\gamma_j(x)) + \nabla_{\gamma_j} (\gamma_k^{-1} \circ \gamma_j) [\tau_j] \\
&= -\frac{\tau_k (\gamma_k^{-1} (\gamma_j(x)))}{\gamma_k' (\gamma_k^{-1} (\gamma_j(x)))} + \frac{1}{\gamma_k' (\gamma_k^{-1} (\gamma_j(x)))} \tau_j(x) \\
&= \frac{1}{\gamma_k' (\gamma_k^{-1} (\gamma_j(x)))} (\tau_j(x) - \tau_k (\gamma_k^{-1} (\gamma_j(x))))
\end{aligned}$$

□

## B.2 Proof of Theorem 2

*Proof.* We verify the conditions in Lemma 5.4 of Newey (1994), or equivalently, Theorems 8.11 of Newey and McFadden (1994).

Recall  $w_i := (y_i, x_i, z_i, d_i)$ ,  $\gamma := (\gamma_1, \gamma_2)$  and

$$\begin{aligned}
g(w_i, \hat{\alpha}, \hat{\gamma}) &= \bar{z}_i (y_i - \hat{\alpha}_0 - (x_{i1}\hat{\alpha}_1 + \hat{\gamma}_2^{-1}(\hat{\gamma}_1(x_{i1}))\hat{\alpha}_2) d_{i1} - (x_{i2}\hat{\alpha}_2 + \hat{\gamma}_1^{-1}(\hat{\gamma}_2(x_{i2}))\hat{\alpha}_2) d_{i2}) \\
&= \bar{z}_i (y_i - \hat{\alpha}_0 - x_{ij}\hat{\alpha}_j - \hat{\gamma}_k^{-1}(\hat{\gamma}_j(x_{ij}))\hat{\alpha}_k) \\
g(w_i, \hat{\gamma}) &= \bar{z}_i (y_i - \alpha_0 - (x_{i1}\alpha_1 + \hat{\gamma}_2^{-1}(\hat{\gamma}_1(x_{i1}))\alpha_2) d_{i1} - (x_{i2}\alpha_2 + \hat{\gamma}_1^{-1}(\hat{\gamma}_2(x_{i2}))\alpha_2) d_{i2}) \\
&= \bar{z}_i (y_i - \alpha_0 - x_{ij}\alpha_j - \hat{\gamma}_k^{-1}(\hat{\gamma}_j(x_{ij}))\alpha_k) \\
&= \bar{z}_i (u_i + \epsilon_i + [x_{ik} - \hat{\gamma}_k^{-1}(\hat{\gamma}_j(x_{ij}))]\alpha_k)
\end{aligned}$$

Clearly,  $\mathbb{E}[g(w_i, \gamma)] = \mathbb{E}[\bar{z}_i(u_i + \epsilon_i)] = 0$  by Assumptions 6 and 4. Moreover,  $\frac{1}{N} \sum_{i=1}^N g(w_i, \hat{\alpha}, \hat{\gamma}) = 0$  by the definition of  $\hat{\alpha}$ .

Now, define

$$\begin{aligned}
G(w_i, \hat{\gamma} - \gamma) &:= \nabla_{\gamma} g(w_i, \gamma) [\hat{\gamma} - \gamma] \\
&= -\alpha_k \bar{z}_i \nabla_{\gamma} (\gamma_k^{-1} \circ \gamma_j) [\hat{\gamma} - \gamma] \\
&= \frac{-\alpha_k \bar{z}_i}{\gamma'_k (\gamma_k^{-1} (\gamma_j (x_{ij})))} [(\hat{\gamma}_j - \gamma_j) (x_{ij}) - (\hat{\gamma}_k - \gamma_k) (\gamma_k^{-1} (\gamma_j (x_{ij})))] \\
&= -\frac{\alpha_k \bar{z}_i}{\gamma'_k (x_{ik})} [\hat{\gamma}_j (x_{ij}) - \gamma_j (x_{ij}) - \hat{\gamma}_k (x_{ik}) + \gamma_k (x_{ik})] \text{ since } \gamma_k^{-1} (\gamma_j (x_{ij})) = x_{ik} \\
&= d_{i1} \bar{z}_i \left( -\frac{\alpha_2}{\gamma_2'} \right) (1, -1) \begin{pmatrix} \hat{\gamma}_1 - \gamma_1 \\ \hat{\gamma}_2 - \gamma_2 \end{pmatrix} + d_{i2} \bar{z}_i \left( -\frac{\alpha_1}{\gamma_1'} \right) (-1, 1) \begin{pmatrix} \hat{\gamma}_1 - \gamma_1 \\ \hat{\gamma}_2 - \gamma_2 \end{pmatrix} \\
&= -\bar{z}_i \left( d_{i1} \frac{\alpha_2}{\gamma_2'} - d_{i2} \frac{\alpha_1}{\gamma_1'} \right) (1, -1) (\hat{\gamma} - \gamma) \tag{16}
\end{aligned}$$

By Lemma 2(iii) and Lemma 3, we deduce

$$\|g(w, \hat{\gamma}) - g(w, \gamma) - G(w, \hat{\gamma} - \gamma)\| = O_p(\|\hat{\gamma} - \gamma\|_{\infty}^2) = o_p\left(\frac{1}{\sqrt{N}}\right)$$

given our assumption that  $\|\hat{\gamma} - \gamma\|_{\infty} = o_p(N^{-1/4})$ .

Next, the stochastic equicontinuity condition

$$\frac{1}{\sqrt{N}} \sum_{i=1}^N \left( G(w_i, \hat{\gamma} - \gamma) - \int G(w_i, \hat{\gamma} - \gamma) d\mathbb{P}(w_i) \right) = o_p\left(\frac{1}{\sqrt{N}}\right) \tag{17}$$

is guaranteed by Assumptions 8 and 9. Specifically,  $\hat{\gamma} - \gamma$  belongs to a Donsker class of functions by the smoothness assumption while  $1/\gamma'_k(x_{ik}) \leq 1/\underline{c}$  guarantees that  $G(z_i, \cdot)$  is square-integrable, so that  $G(z_i, \cdot)$  is also Donsker and thus (17) holds.

Now, write  $\zeta_i := (x_i, z_i)$  so that  $w_i = (y_i, \zeta_i, d_i)$ . Then we have

$$\begin{aligned}
&\int G(w_i, \hat{\gamma} - \gamma) \mathbb{P}w_i \\
&= \int -\bar{z}_i \left( d_{i1} \frac{\alpha_2}{\gamma_2'} - d_{i2} \frac{\alpha_1}{\gamma_1'} \right) (1, -1) (\hat{\gamma} - \gamma) d\mathbb{P}(\zeta_i, d_i) \\
&= \int -\bar{z}_i \left( \left[ \int d_{i1} d\mathbb{P}(d_i | \zeta_i) \right] \frac{\alpha_2}{\gamma_2'} - \left[ \int d_{i2} d\mathbb{P}(d_i | \zeta_i) \right] \frac{\alpha_1}{\gamma_1'} \right) (1, -1) (\hat{\gamma} - \gamma) d\mathbb{P}\zeta_i \\
&= \int -\bar{z}_i \left( \lambda_1(\zeta_i) \frac{\alpha_2}{\gamma_2'} - \lambda_2(\zeta_i) \frac{\alpha_1}{\gamma_1'} \right) (1, -1) (\hat{\gamma} - \gamma) d\mathbb{P}\zeta_i
\end{aligned}$$

By Proposition 4 of Newey (1994), with

$$\varphi(w_i) := - \left( \lambda_1 \frac{\alpha_2 \bar{z}_i}{\gamma'_2} - \lambda_2 \frac{\alpha_1 \bar{z}_i}{\gamma'_1} \right) (d_{i1} - d_{i2})$$

we have

$$\bar{z}_i \left( \lambda_1 \frac{\alpha_2}{\gamma'_2} - \lambda_2 \frac{\alpha_1}{\gamma'_1} \right) (1, -1) \begin{pmatrix} d_{i1} (y_i - \gamma_1(x_{i1})) \\ d_{i2} (y_i - \gamma_2(x_{i2})) \end{pmatrix} \equiv \varphi(w_i) \bar{z}_i \epsilon_i,$$

and by Assumption 10

$$\int G(w, \hat{\gamma} - \gamma) d\mathbb{P}(w) = \frac{1}{N} \sum_{i=1}^N \varphi(w_i) \bar{z}_i \epsilon_i + o_p \left( \frac{1}{\sqrt{N}} \right).$$

Hence, Lemma 5.4 of Newey (1994),

$$\frac{1}{\sqrt{N}} \sum_{i=1}^N g(w_i, \hat{\gamma}) = \frac{1}{\sqrt{N}} \sum_{i=1}^N [g(w_i, \gamma) + \varphi(w_i) \bar{z}_i \epsilon_i] + o_p(1) \xrightarrow{d} \mathcal{N}(\mathbf{0}, \Omega),$$

where

$$\begin{aligned} \Omega &:= \text{Var} [g(w_i, \gamma) + \varphi(w_i) \bar{z}_i \epsilon_i] \\ &= \mathbb{E} \left[ \bar{z}_i \bar{z}'_i (u_i + [1 + \varphi(w_i)] \epsilon_i)^2 \right] = \mathbb{E} \left[ \bar{z}_i \bar{z}'_i (u_i^2 + [1 + \varphi(w_i)]^2 \epsilon_i^2) \right] \end{aligned}$$

Lastly, by Lemma 1

$$\left| \frac{1}{n} \sum_{i=1}^n \bar{z}_i (\hat{x}_{i1} - x_{i1}) \right| \leq \frac{1}{n} \sum_{i=1}^n |\bar{z}_i| |\hat{x}_{i1} - x_{i1}| \leq O_p(a_n) \cdot \frac{1}{n} \sum_{i=1}^n |\bar{z}_i| = O_p(a_n) = o_p(1)$$

and thus

$$\begin{aligned} \frac{1}{N} \sum_{i=1}^N \bar{z}_i \tilde{x}'_i &= \mathbb{E} [\bar{z}_i \bar{x}'_i] + \frac{1}{N} \sum_{i=1}^N \bar{z}_i (\tilde{x}_i - x_i)' + \frac{1}{N} \sum_{i=1}^N (\bar{z}_i \tilde{x}'_i - \mathbb{E} [\bar{z}_i \tilde{x}'_i]) \\ &= \mathbb{E} [\bar{z}_i \bar{x}'_i] + O_p(a_N) + O_p \left( \frac{1}{\sqrt{N}} \right) \xrightarrow{p} \Sigma_{zx} := \mathbb{E} [\bar{z}_i \bar{x}'_i]. \end{aligned}$$

Hence,

$$\sqrt{N}(\hat{\alpha} - \alpha) = \left( \frac{1}{N} \sum_{i=1}^N \bar{z}_i \tilde{x}_i \right)^{-1} \frac{1}{\sqrt{N}} \sum_{i=1}^N g(w_i, \hat{\gamma}) \xrightarrow{d} \mathcal{N} \left( \mathbf{0}, \Sigma_{zx}^{-1} \Omega \Sigma_{zx}'^{-1} \right).$$

□

### B.3 Proof of Propositions 2 and 1

*Proof.* Assumption 11(i) guarantees that  $N_1 \sim N_2 \sim N$  so that

$$\|\hat{\gamma}_1 - \gamma_1\|_\infty \sim \|\hat{\gamma}_2 - \gamma_2\|_\infty = O_p(a_N)$$

where, by Assumption 11(ii)-(v) and Theorem 8 of Hansen (2008),

$$a_N = b^p + \frac{\sqrt{\log N}}{\sqrt{N}b^3}.$$

With  $b$  chosen according to Assumption 11(vi) so that  $\frac{\sqrt{\log N}}{\sqrt{N}b^3} = o\left(N^{-\frac{1}{4}}\right)$  and  $\sqrt{N}b^p \rightarrow 0$ , implying that

$$a_N = o\left(N^{-\frac{1}{2}}\right) + o\left(N^{-\frac{1}{4}}\right) = o\left(N^{-\frac{1}{4}}\right),$$

verifying Assumption 9(ii). Assumption 10 (and consequently Proposition 2) follows from Theorem 8.11 of Newey and McFadden (1994).

Since  $\hat{\varphi} \xrightarrow{p} \varphi$  and  $\hat{\varphi}^* \xrightarrow{p} \varphi^*$ , Proposition 1 then follows from Theorem 8.13 of Newey and McFadden (1994). □

### B.4 An Alternative and More Efficient Estimator $\hat{\alpha}^*$

The estimator  $\hat{\alpha}$  proposed in the main text is defined by an IV estimator of the regression equation

$$y_i = \alpha_0 + \alpha_1 x_{i1} + \alpha_2 x_{i2} + u_i + \epsilon_i, \quad \mathbb{E}[u_i + \epsilon_i | z_i] = 0$$

in Step 3, where the left-hand side is the raw outcome variable  $y_i$ . Alternatively, with Steps 1 and 2 unchanged, we may construct a slightly different estimator  $\hat{\alpha}^*$  for  $\alpha$  based on the conditionally expected outcome as described below.



**Step 3\***: Estimate the following equation

$$\bar{y}_i = \alpha_0 + \alpha_1 x_{i1} + \alpha_2 x_{i2} + u_i, \quad \mathbb{E}[u_i | z_i] = 0, \quad (18)$$

with the outcome variable given by

$$\bar{y}_i := \bar{F}(u_i, z_i) = \gamma_1(x_{i1}, z_i) = \gamma_2(x_{i2}, z_i),$$

replaced by its plug-in estimator

$$\tilde{y}_i := \begin{cases} \hat{\gamma}_1(x_{i1}, z_i), & \text{for } d_i = 1, \\ \hat{\gamma}_2(x_{i2}, z_i), & \text{for } d_i = 2, \end{cases}$$

Again using  $z_i$  as IVs, estimate  $\alpha$  by

$$\hat{\alpha}^* := \left( \frac{1}{n} \sum_{i=1}^n \bar{z}_i \tilde{x}_i \right)^{-1} \left( \frac{1}{n} \sum_{i=1}^n \bar{z}_i \tilde{y}_i \right).$$

The difference between  $\hat{\alpha}$  and  $\hat{\alpha}^*$  lies in the outcome variable being used for the IV regression:  $\hat{\alpha}$  is based on the raw output  $y_i$ , while  $\hat{\alpha}^*$  is based on the estimated conditionally expected output  $\bar{y}_i$ . As we will show below,  $\hat{\alpha}^*$  is in fact asymptotically more efficient than  $\hat{\alpha}$ .

**Theorem 3** (Asymptotic Normality of  $\hat{\alpha}^*$ ). *Define*

$$g^*(w_i, \tilde{\alpha}, \tilde{\gamma}) := \begin{cases} \bar{z}_i (\tilde{\gamma}_1(x_{i1}) - \tilde{\alpha}_0 - \tilde{\alpha}_1 x_{i1} - \tilde{\alpha}_2 \tilde{\gamma}_2^{-1}(\tilde{\gamma}_1(x_{i1}))) & \text{for } d_i = 1, \\ \bar{z}_i (\tilde{\gamma}_2(x_{i2}) - \tilde{\alpha}_0 - \tilde{\alpha}_2 x_{i2} - \tilde{\alpha}_1 \tilde{\gamma}_1^{-1}(\tilde{\gamma}_2(x_{i2}))) & \text{for } d_i = 2, \end{cases}$$

and  $g^*(w_i, \tilde{\gamma})$  as well as  $G^*$  similarly as in Section 3.1.3. *Define*

$$\hat{\varphi}^*(w_i) := \left[ \hat{\lambda}_1 \left( 1 - \frac{\hat{\alpha}_2}{\hat{\gamma}_2'} \right) + \hat{\lambda}_2 \frac{\hat{\alpha}_1}{\hat{\gamma}_1'} \right] \mathbb{1}\{d_i = 1\} + \left[ \hat{\lambda}_1 \frac{\hat{\alpha}_2}{\hat{\gamma}_2'} + \hat{\lambda}_2 \left( 1 - \frac{\hat{\alpha}_1}{\hat{\gamma}_1'} \right) \right] \mathbb{1}\{d_i = 2\}.$$

Under Assumptions 1-10 with  $G, \varphi$  replaced by  $G^*, \varphi^*$  whenever applicable,

$$\sqrt{N}(\hat{\alpha}^* - \alpha^*) \xrightarrow{d} \mathcal{N}(\mathbf{0}, \Sigma^*),$$

where  $\Sigma^* := \Sigma_{zx}^{-1} \Omega^* \Sigma_{xz}^{-1}$  and

$$\Omega^* := \mathbb{E} \left[ \bar{z}_i \bar{z}_i' (u_i^2 + \varphi^*(w_i)^2 \epsilon_i^2) \right].$$

The proof is very similar to that of Theorem 2, and is presented in Appendix B.5.

Next, we compare the asymptotic variances of  $\hat{\alpha}^*$  and  $\hat{\alpha}$ , and show that  $\hat{\alpha}^*$  is in fact asymptotically more efficient.

**Theorem 4** ( $\hat{\alpha}^*$  is Asymptotically More Efficient than  $\hat{\alpha}$ ).  $\Omega - \Omega^*$  is positive definite, i.e.,  $\hat{\alpha}^*$  is asymptotically more efficient than  $\hat{\alpha}$ .

The proof is in Appendix B.6. Here we discuss the intuition of Theorem 4. The error term for the IV regression with the raw outcome  $y_i$  as the left-hand-side variable is  $u_i + \epsilon_i$ , which has a larger variance than the corresponding error term  $u_i$ , if the conditionally expected outcome  $\bar{y}_i$  is used instead. Even though we do not observe  $\bar{y}_i$  and must use an estimator  $\tilde{y}_i = \hat{\gamma}_1(x_{i1})$  or  $\tilde{y}_i = \hat{\gamma}_2(x_{i2})$ , the impact of the first-stage estimation error (which can be loosely thought as an average of  $\epsilon_i$  across  $i$ ) is smaller than the impact of  $\epsilon_i$  itself.

To see this more clearly, first consider the multiplier “ $1 + \varphi(w_i)$ ” in (i): the “1” comes from the one “raw” share of error  $\epsilon_i$  embedded in each  $y_i$  that we use as the outcome variable, while “ $\varphi(w_i)$ ” essentially captures the share of influence of the first-step estimation error  $\hat{\gamma} - \gamma$  due to  $\epsilon_i$ . Together, we have

$$1 + \varphi = \left( 1 - \lambda_1 \frac{\alpha_2}{\gamma_2} + \lambda_2 \frac{\alpha_1}{\gamma_1} \right) \mathbb{1} \{d_i = 1\} + \left( \lambda_1 \frac{\alpha_2}{\gamma_2} + 1 - \lambda_2 \frac{\alpha_1}{\gamma_1} \right) \mathbb{1} \{d_i = 2\},$$

while the corresponding multiplier  $\varphi^*$  on  $\epsilon_i$  in (ii) is essentially the same except that “ $1 - \lambda_1 \frac{\alpha_2}{\gamma_2}$ ” becomes “ $\lambda_1 - \lambda_1 \frac{\alpha_2}{\gamma_2}$ ” and “ $1 - \lambda_2 \frac{\alpha_1}{\gamma_1}$ ” becomes “ $\lambda_2 - \lambda_2 \frac{\alpha_1}{\gamma_1}$ ”. Since  $\lambda_1, \lambda_2 < 1$ , the overall multiplier on  $\epsilon_i$  becomes smaller in magnitude<sup>26</sup>. Essentially, by using the estimated conditional expected output  $\tilde{y}_i$ , the raw “1” share of  $\epsilon_i$  in  $y_i$  is moved into the first-stage estimation error of  $\bar{y}_i$ , which is then “averaged” and reduced in magnitude to  $\lambda_1$  or  $\lambda_2$ , thus leading to smaller overall variance.

Lastly, we emphasize that the efficiency comparison in 4 does not directly relate to the theory of semiparametric efficiency bounds, such as in Akerberg et al. (2014),

---

<sup>26</sup>Note that  $\alpha_1/\gamma_1' \leq 1$  and  $\alpha_2/\gamma_2' \leq 1$  by equation (8).

which is about asymptotic efficiency of semiparametric estimators under a given criterion function. In fact, by [Ackerberg et al. \(2014\)](#), both estimators based on  $y_i$  and  $\tilde{y}_i$  attain their corresponding semiparametric efficiency bounds with respect to their different criterion functions  $g$  and  $g^*$ . Theorem 4, however, is a comparison across the two criterion functions  $g$  and  $g^*$ : it essentially states that the asymptotically efficient estimator under  $g^*$  is even more efficient than the efficient estimator under  $g$ .

## B.5 Proof of Theorem 3

*Proof.* We adapt the proof of Theorem 2 above with

$$\begin{aligned} g^*(w, \hat{\alpha}, \hat{\gamma}) &:= \bar{z}_i (\hat{\gamma}_j(x_{ij}) - \hat{\alpha}_0 - \hat{\alpha}_j x_{ij} - \hat{\alpha}_k \hat{\gamma}_k^{-1}(\hat{\gamma}_j(x_{ij}))), \\ g^*(w, \hat{\gamma}) &:= \bar{z}_i (\hat{\gamma}_j(x_{ij}) - \alpha_0 - \alpha_j x_{ij} - \alpha_k \hat{\gamma}_k^{-1}(\hat{\gamma}_j(x_{ij}))). \end{aligned}$$

with  $\mathbb{E}[g^*(w_i, \gamma)] = \mathbb{E}[\bar{z}_i (\gamma_j(x_{ij}) - \alpha_0 - \alpha_j x_{ij} - \alpha_k \gamma_k^{-1}(\gamma_j(x_{ij})))] = \mathbb{E}[\bar{z}_i u_i] = \mathbf{0}$  and  $\frac{1}{N} \sum_{i=1}^N g(z, \hat{\alpha}^*, \hat{\gamma}) = \mathbf{0}$ .

By the chain rule,

$$\begin{aligned} G^*(w_i, \tau) &:= \nabla_{\gamma} g^*(w_i, \gamma) [\hat{\gamma} - \gamma] \\ &= \bar{z}_i ([\hat{\gamma}_j(x_{ij}) - \gamma_j(x_{ij})] - \alpha_k \nabla_{\gamma} (\gamma_k^{-1} \circ \gamma_j) [\hat{\gamma} - \gamma]) \\ &= \bar{z}_i \left( 1 - \frac{\alpha_k}{\gamma'_k(x_{ik})} \right) [\hat{\gamma}_j(x_{ij}) - \gamma_j(x_{ij})] - \bar{z}_i \frac{\alpha_k}{\gamma'_k(x_{ik})} [\hat{\gamma}_k(x_{ik}) - \gamma_k(x_{ik})] \\ &= \bar{z}_i \left[ d_{i1} \left( 1 - \frac{\alpha_2}{\gamma'_2}, -\frac{\alpha_2}{\gamma'_2} \right) + d_{i2} \left( -\frac{\alpha_1}{\gamma'_1}, 1 - \frac{\alpha_1}{\gamma'_1} \right) \right] (\hat{\gamma} - \gamma) \end{aligned}$$

and

$$\int G(w_i, \hat{\gamma} - \gamma) \mathbb{P} w_i = \int \bar{z}_i \left( \lambda_1 \left( 1 - \frac{\alpha_2}{\gamma'_2} \right) + \lambda_2 \frac{\alpha_1}{\gamma'_1}, \lambda_1 \frac{\alpha_2}{\gamma'_2} + \lambda_2 \left( 1 - \frac{\alpha_1}{\gamma'_1} \right) \right) (\hat{\gamma} - \gamma) d\mathbb{P} \zeta_i$$

By Proposition 4 of [Newey \(1994\)](#), with

$$\varphi^*(w_i) := - \left( \lambda_1 \left( 1 - \frac{\alpha_2}{\gamma'_2} \right) + \lambda_2 \frac{\alpha_1}{\gamma'_1} \right) d_{i1} + \left( \lambda_1 \frac{\alpha_2}{\gamma'_2} + \lambda_2 \left( 1 - \frac{\alpha_1}{\gamma'_1} \right) \right) d_{i2}$$

we have

$$\bar{z}_i \left( \lambda_1 \left( 1 - \frac{\alpha_2}{\gamma_2'} \right) + \lambda_2 \frac{\alpha_1}{\gamma_1'}, \lambda_1 \frac{\alpha_2}{\gamma_2'} + \lambda_2 \left( 1 - \frac{\alpha_1}{\gamma_1'} \right) \right) \begin{pmatrix} d_{i1}(y_i - \gamma_1(x_{i1})) \\ d_{i2}(y_i - \gamma_2(x_{i2})) \end{pmatrix} \equiv \varphi^*(w_i) \bar{z}_i \epsilon_i,$$

and by Assumption 10

$$\int G(w, \hat{\gamma} - \gamma) d\mathbb{P}(w) = \frac{1}{N} \sum_{i=1}^N \varphi^*(w_i) \bar{z}_i \epsilon_i + o_p \left( \frac{1}{\sqrt{N}} \right).$$

Hence, we have

$$\frac{1}{\sqrt{N}} \sum_{i=1}^N g^*(w_i, \hat{\gamma}) = \frac{1}{\sqrt{N}} \sum_{i=1}^N [g^*(w_i, \gamma) + \varphi^*(w_i) \bar{z}_i] + o_p(1) \xrightarrow{d} \mathcal{N}(\mathbf{0}, \Omega^*),$$

where

$$\Omega := \text{Var}[g^*(w_i, \gamma) + \delta^*(z_i)] = \mathbb{E} \left[ \bar{z}_i \bar{z}_i' (u_i^2 + \varphi^*(w_i)^2 \epsilon_i^2) \right],$$

giving

$$\sqrt{N}(\hat{\alpha} - \alpha) = \left( \frac{1}{N} \sum_{i=1}^N \bar{z}_i \tilde{x}_i \right)^{-1} \frac{1}{\sqrt{N}} \sum_{i=1}^N g^*(w_i, \hat{\gamma}) \xrightarrow{d} \mathcal{N}(\mathbf{0}, \Sigma_{zx}^{-1} \Omega^* \Sigma_{zx}'^{-1}).$$

□

## B.6 Proof of Theorem 4

*Proof.* By (7), we have

$$\frac{\partial}{\partial c} \gamma_j(c; z) = \alpha_j + \alpha_k x_k' \frac{1}{x_j'} + \frac{1}{x_j'} > \alpha_j,$$

and thus  $0 < \alpha_j / \gamma_j' < 1$ , which implies

$$\lambda_1 \left( 1 - \frac{\alpha_2}{\gamma_2'} \right) + \lambda_2 \frac{\alpha_1}{\gamma_1'} > 0, \quad \lambda_2 \left( 1 - \frac{\alpha_1}{\gamma_1'} \right) + \lambda_1 \frac{\alpha_2}{\gamma_2'} > 0.$$

Hence,

$$\begin{aligned}
\varphi^* &= \left( \lambda_1 \left( 1 - \frac{\alpha_2}{\gamma_2'} \right) + \lambda_2 \frac{\alpha_1}{\gamma_1'} \right) d_{i1} + \left( \lambda_2 \left( 1 - \frac{\alpha_1}{\gamma_1'} \right) + \lambda_1 \frac{\alpha_2}{\gamma_2'} \right) d_{i2} > 0 \\
1 + \varphi &= 1 - \left( \frac{\alpha_2}{\gamma_2'} \lambda_1 - \frac{\alpha_1}{\gamma_1'} \lambda_2 \right) (d_{i1} - d_{i2}) \\
&= \left( 1 - \lambda_1 \frac{\alpha_2}{\gamma_2'} + \lambda_2 \frac{\alpha_1}{\gamma_1'} \right) d_{i1} + \left( 1 - \lambda_2 \frac{\alpha_1}{\gamma_1'} + \lambda_1 \frac{\alpha_2}{\gamma_2'} \right) d_{i2} \\
&= \varphi^* + (1 - \lambda_1) d_{i1} + (1 - \lambda_2) d_{i2} \\
&> \varphi^* > 0.
\end{aligned}$$

Hence,  $(1 + \varphi)^2 > \varphi^{*2} > 0$  and

$$\Omega - \Omega^* = \mathbb{E} \left[ \bar{z}_i \bar{z}_i' \left[ (1 - \varphi(x_i, d_i))^2 - \varphi^*(x_i, d_i)^2 \right] \epsilon_i^2 \right]$$

is positive definite. □

## C Robustness Check for First Application

Although most pharmacies in our sample have one manager and one pharmacist, there are a few pharmacies with more than one employee pharmacist. For this subset of pharmacies, we compute the total hours worked by employee pharmacists by multiplying the reported hours worked from an employee by the number of employees. Then, the second imputation step is applied based on the total hours worked by all employees. In this process, we implicitly assume the labor hours from two different employees are perfect substitutes. As a robustness check, we also estimate a version of production function which has an elasticity of substitution between the hours worked by different employees equal to one. Table 11 summarizes this version of the estimation result. The estimated parameters show that employees become slightly less productive at both independents and chains compared to our baseline estimation, but in general our estimation result is robust to how we treat employee inputs from pharmacies with more than one employee.

Table 11: Using  $N_2 * \log(x_2)$  instead of  $\log(N_2 * H_2)$

	Independent		Chain	
	Observed Outputs	Expected Outputs	Observed Outputs	Expected Outputs
$\alpha_0$	5.493 (0.527)	5.888 (0.270)	3.409 (1.656)	4.201 (0.972)
$\alpha_1$	0.258 (0.121)	0.178 (0.057)	0.878 (0.446)	0.719 (0.261)
$\alpha_2$	0.033 (0.021)	0.017 (0.014)	0.092 (0.039)	0.056 (0.022)
Nobs	144	144	188	188
First-stage F for $x_1$	10.066	10.066	10.199	10.199
First-stage F for $x_2$	12.360	12.360	3.210	3.210